

Verssion G\_2.0

2020/02/03

TrueVIS Element Ink, TE2-5CY TrueVIS Element Ink, TE2-7CY

# Safety Data Sheet

# 1. Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

TrueVIS Element Ink, TE2-5CY TrueVIS Element Ink, TE2-7CY

**1.2. Relevant identified uses of the substance or mixture and uses advised against** Inkjet Printing

### **1.3.** Details of the supplier of the safety data sheet

Manufacture's name: Roland DG Corporation Address: 1-6-4 Shinmiyakoda, Kita-ku, Hamamatsu-shi, Shizuoka-ken, 431-2103 Phone: + 81-53-484-1224 FAX: + 81-53-484-1226

E-mail: Revised date: 3-Feb-2020

### **1.4. Emergency telephone:**

# 2. Hazard identification

### 2.1. Classification of the substance or mixture

This product is classified as hazardous according to GHS.

Flammable liquids	Category 4
Acute toxicity (oral)	Category 5
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

### 2.2. GHS label elements, including precautionary statements

Pictgram(s)



Signal Word:

Danger

### **Hazard Statement:**

Combustible liquid. May be harmful if swallowed. Causes skin irritation. Causes serious eye damage.



### **Precautionary statements — Prevention:**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear protective gloves/protective clothing/eye protection/face protection.

# **Precautionary statements — Response:**

IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTRE/doctor if you feel unwell.

### **Precautionary statements** — **Storage:**

Store in a well-ventilated place. Keep cool.

### 2.3. Other hazards

Potential Health Effects:

Eyes:	Causes severe eye injury which may persist for several days.
Skin:	Contact with skin may cause irritation, swelling or redness, allergic sensitization.
Inhalation:	Exposure to vapors (mist) will cause respiratory irritation and anesthesia.
Ingestion:	May cause injury of mouth, throat, and stomach.
Chronic Health Hazards:	Repeated skin contact may cause a persistent irritation or dermatitis.
Carcinogenicity:	None of the ingredients in this ink is listed by IARC as a carcinogen. (1, 2A and 2B)
Others:	No information.

# 3. Composition/information on ingredients

Chemical nature: mixture

Composition	CAS No.	% By Weight	GHS Classification
Colorant	CBI	1-5	Not classified as hazardous
Diethylene glycol diethyl ether	112-36-7	55-65	Skin Irrit. 2: H315
gamma-butyrolactone	96-48-0	<20	Acute Tox. 4: H302 Eye Damage 1: H318 STOT Single Exp. 3: H336
Dialkylene glycol dialkyl ether	CBI	10-20	Not classified as hazardous
Triethylene glycol monobutyl ether	143-22-6	1-10	Eye Dam. 1: H318
Synthetic resins	CBI	1-10	Not classified as hazardous

† CBI: Confidential Business Information

‡ For the full text of the H-Statements mentioned in this Section, see Section 16.

# 4. First aid measures

**Roland DG Corporation** 



## TrueVIS Element Ink, TE2-5CY TrueVIS Element Ink, TE2-7CY

### 4.1. Description of first aid measures

and
, give

# 4.2. Most important symptoms and effects, both acute and delayed

Eyes:	Causes severe eye injury which may persist for several days.
Skin:	Contact with skin may cause irritation, swelling or redness, allergic sensitization.
Inhalation:	Exposure to vapors (mist) will cause respiratory irritation and anesthesia.
Ingestion:	May cause injury of mouth, throat, and stomach.

# 4.3. Indication of any immediate medical attention and special treatment needed

no information

# 5. Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media:

Dry chemical, Foam, Carbon dioxide, Dry sand, Loaded stream in spray.

Unsuitable extinguishing media:

Water, High-pressure water jet.

# 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products: Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors. Flash Point: > 71deg.C

# 5.3. Advice for firefighters

Wear special chemical protective clothing and positive pressure self-contained breathing apparatus (SCBA). Approach fire from upwind to avoid hazardous vapors and toxic decomposition products. Decontaminate or discard any clothing that may contain chemical residues. Applying direct water may be dangerous because fire may expand to surroundings.

# 6. Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus and wear appropriate personal protective equipment.

### **6.2.** Environmental precautions

Wipe off spillage. Prevent liquid from entering sewers, waterways or low areas.



### 6.3. Methods and material for containment and cleaning up

Sweep up material and dispose as waste following local regulations.

### 6.4. Reference to other sections

Refer to "Section 8 Exposure controls/ personal protection" and "Section 13 Disposal consideration" as appropriate.

### 7. Handling and storage

### 7.1 Precautions for safe handling

Avoid contact with eyes, skin and clothing. Use proper ventilation and no fire in work place. Put protection wear that has electrical conductivity in case of work. Keep out of reach of children and do not drink.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Do not store the product in high or freezing temperatures. Keep the product out of direct sunlight. Do not store the product with metals, amines, free radical initiators, oxidising agents.

7.3 Specific end use(s): Inkjet Printing

### 8. Exposure controls/ personal protection

#### 8.1. Control parameters

Occupational Exposure Limits: Derived No-Effect Level (DNEL)

- Diethylene glycol diethyl ether:
  - [Long term exposure] 50.05 mg/m<sup>3</sup>

[Short term exposure] no hazard identified

- gamma-butyrolactone:

[Long term exposure] 130 mg/m<sup>3</sup>

[Short term exposure] 958 mg/m<sup>3</sup>

- Triethylene glycol monobutyl ether:
  - [Long term exposure] 195 mg/m<sup>3</sup>

[Short term exposure] no hazard identified

### 8.2. Exposure controls

Appropriate engineering controls Provide general and/or local exhaust ventilation.

Respiratory protection:

In case ventilation is insufficient, employee must use NIOSH approved air purifying respiratory equipment. Use a half facepiece respirator (with goggles) or full face-piece respirator (without goggles) filtered with organic vapor cartridge.For emergency and other conditions where the exposure guideline may be exceeded, use an approved positive-pressure self-contained breathing apparatus or positive-pressure airline with auxiliary self contained air supply. WARNING: Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.



### TrueVIS Element Ink, TE2-5CY TrueVIS Element Ink, TE2-7CY

### Hand protection:

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, use protective gloves. Recommended impervious gloves is butyl rubber glove.

### Eye protection:

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear safety glasses or chemical splash goggles.

#### Skin protection:

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear protective clothing.

#### Hygiene measures:

Wash hands after handling. In case contact with clothing, wash before reuse.Do not eat, drink or smoke in handling or storage area.

### Environmental exposure control:

Avoid release to the environment.

# 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

	-
Appearance:	Cyan Liquid
Odour:	Slightly odour
Odour threshold:	Not defined
pH:	Not applicable
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point:	>71deg.C
Evaporation rate:	No data available
Flammability (solid, gas)	Not applicable
Upper/lower flammability or explosive limits:	No data available
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	No data available
Solubility(ies):	soluble
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity:	No data available
Explosive properties:	No data available
Oxidizing properties:	No data available
Volatile organic compounds (VOC) content:	950 grams / L



### 9.2 Other information

No information.

# 10. Stability and reactivity

#### **10.1 Reactivity:**

No reactivity under normal temperature.

### **10.2 Chemical stability:**

Stable under normal temperature.

#### 10.3 Possibility of hazardous reactions:

Not expected.

### **10.4 Conditions to avoid:**

Elevated temperatures/heat, UV light, when not in use.

### **10.5 Incompatible materials:**

Avoid contact with acids, amines, free radical initiators, oxidizing agents.

#### 10.6 Hazardous decomposition products:

Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors.

# 11. Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity:

```
gamma-butyrolactone
```

LD50(oral): 1582.0 mg/kg, LD50 (dermal): no data available, LD50 (Inhal.): 5.1 mg/kg

#### Serious eye damage/eye irritation:

Causes serious eye damage.

- gamma-butyrolactone
- Triethylene glycol monobutyl ether

# Skin corrosion/irritation:

Causes skin irritation.

• Diethylene glycol diethyl ether

#### **Respiratory or skin sensitisation:**

no data available.

### Germ cell mutagenicity:



no data available.

### **Reproductive toxicity:**

no data available.

### **Carcinogenicity:**

None of the ingredients in this ink is listed by IARC as a carcinogen. (1, 2A and 2B)

#### Specific target organ toxicity - single exposure, (STOT-SE):

May cause drowsiness or dizziness.

gamma-butyrolactone

#### Specific target organ toxicity - repeat exposure, (STOT-RE):

no data available.

#### **Aspiration hazard:**

no data available.

### 12. Ecological information

**12.1. Toxicity:** No data available.

### 12.2. Persistence and degradability:

No data available

### 12.3. Bioaccumulative potential:

No data available

### 12.4. Mobility in soil:

No data available

### 12.5. Results of PBT and vPvB assessment:

Has not carried out PBT and vPvB assessment.

### 12.6. Other adverse effects:

No data available

### 13. Disposal considerations

#### 13.1. Waste treatment methods

Product:

Dispose as hazardous waste. Packaging with product residues must be disposed of under the same conditions as the product itself.

Recommended waste code: 08 03 12\* (waste ink containing dangerous substances)

# **Roland DG Corporation**



		Verssion G_2.0
	TrueVIS Element Ink, TE2-5CY TrueVIS Element Ink, TE2-7CY	2020/02/03
Uncleaned packaging:	$15\ 01\ 10^*$ (packaging, the residues of dangerous substances or hazard	
	contain or are contaminated by dangerous substances or special waster	s)
Recommendation:	Uncontaminated packaging can be recycled. Non-cleanable packaging	g must be
	disposed of in the same way as the substance.	
14. Transport informati	on	
14.1 UN Class/UN Number		
ADR/ADG/DOT, IMDG,	or IATA: Not regulated	
14.2 UN proper shipping nat	ne	
ADR/ADG/DOT, IMDG,		
14.3 Transport hazard class(	es)	
ADR/ADG/DOT, IMDG,		
14.4 Packing group		
ADR/ADG/DOT, IMDG,	or IATA: Not regulated	
14.5 Environmental hazards		
ADR/ADG/DOT, IMDG,	or IATA: Not regulated	
14 ( Smariel museus tions for		
<b>14.6. Special precautions for</b> ADR/ADG/DOT, IMDG,	or IATA : Transport and storage of the product in accordance with gener	ral precautions
	and instructions mentioned in this SDS.	
14.7. Transport in bulk acco	rding to Annex II of MARPOL 73/78 and IBC code: Not regulated	
15. Regulatory information	tion	
EU Information: Chemica	l Safety Assessment according to (EC)1907/2006	
This product has not	carried out any Chemical Safety Assessment yet.	
Australia Information:		
Hazardous statement:	Not classified as hazardous according to NOHSC criteria.	
Canadian Information:		
	Disclosure list (limit 0.1%)	
None of the	ingredients are listed.	

Canadian Ingredient Disclosure list (limit 1%) Diethylene glycol diethyl ether Triethylene glycol monobutyl ether



TrueVIS Element Ink, TE2-5CY TrueVIS Element Ink, TE2-7CY

International Information:

None of the ingredients in this ink is listed by IARC as a carcinogen. (1, 2A and 2B)

# 16. Other information

List of relevant H-Statements:

(Reference for Section 3. "Composition/information on ingredients")

- H302: Harmful if swallowed.
- H315: Causes skin irritation.
- H318: Causes serious eye damage.
- H336: May cause drowsiness or dizziness.

The information in this Safety Data Sheet (SDS) is believed to be correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is subject to revision as additional knowledge and experience is gained. Roland DG does not warrant the completeness or accuracy of the information contained herein.





Version G\_2.0

2020/02/03

TrueVIS Element Ink, TE2-5MG TrueVIS Element Ink, TE2-7MG

# Safety Data Sheet

# 1. Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

TrueVIS Element Ink, TE2-5MG TrueVIS Element Ink, TE2-7MG

**1.2. Relevant identified uses of the substance or mixture and uses advised against** Inkjet Printing

# **1.3.** Details of the supplier of the safety data sheet

Manufacture's name: Roland DG Corporation Address: 1-6-4 Shinmiyakoda, Kita-ku, Hamamatsu-shi, Shizuoka-ken, 431-2103 Phone: + 81-53-484-1224 FAX: + 81-53-484-1226

E-mail: Revised date: 3-Feb-2020

### **1.4. Emergency telephone:**

# 2. Hazard identification

### 2.1. Classification of the substance or mixture

This product is classified as hazardous according to GHS.

Flammable liquids	Category 4
Acute toxicity (oral)	Category 5
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

### 2.2. GHS label elements, including precautionary statements

Pictgram(s)



Signal Word:

Danger

### **Hazard Statement:**

Combustible liquid. May be harmful if swallowed. Causes skin irritation. Causes serious eye damage.



TrueVIS Element Ink, TE2-5MG TrueVIS Element Ink, TE2-7MG

### **Precautionary statements — Prevention:**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear protective gloves/protective clothing/eye protection/face protection.

# **Precautionary statements — Response:**

IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTRE/doctor if you feel unwell.

### **Precautionary statements — Storage:**

Store in a well-ventilated place. Keep cool.

### 2.3. Other hazards

Potential Health Effects:

Eyes:	Causes severe eye injury which may persist for several days.
Skin:	Contact with skin may cause irritation, swelling or redness, allergic sensitization.
Inhalation:	Exposure to vapors (mist) will cause respiratory irritation and anesthesia.
Ingestion:	May cause injury of mouth, throat, and stomach.
Chronic Health Hazards:	Repeated skin contact may cause a persistent irritation or dermatitis.
Carcinogenicity:	None of the ingredients in this ink is listed by IARC as a carcinogen. (1, 2A and 2B)
Others:	No information.

# 3. Composition/information on ingredients

Chemical nature: mixture

Composition	CAS No.	% By Weight	GHS Classification
Colorant	CBI	1-10	Not classified as hazardous
Diethylene glycol diethyl ether	112-36-7	55-65	Skin Irrit. 2: H315
gamma-butyrolactone	96-48-0	<20	Acute Tox. 4: H302 Eye Damage 1: H318 STOT Single Exp. 3: H336
Dialkylene glycol dialkyl ether	CBI	10-20	Not classified as hazardous
Triethylene glycol monobutyl ether	143-22-6	1-10	Eye Dam. 1: H318
Synthetic resins	CBI	1-10	Not classified as hazardous

† CBI: Confidential Business Information

‡ For the full text of the H-Statements mentioned in this Section, see Section 16.

# 4. First aid measures

**Roland DG Corporation** 



# TrueVIS Element Ink, TE2-5MG TrueVIS Element Ink, TE2-7MG

### 4.1. Description of first aid measures

Eyes:	In case of contact, immediately flush eyes with plenty of water for several minutes. Hold eyelids open
	during flushing. Call a physician.
Skin:	In case of contact, immediately flush with plenty of water while removing contaminated clothing and
	shoes. Wash contaminated clothing before reuse. If swelling or redness occurs, call a physician.
Inhalation:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give
	oxygen. Call a physician.
Ingestion:	If swallowed, DO NOT induce vomiting. Seek immediate medical advice.

# 4.2. Most important symptoms and effects, both acute and delayed

Eyes:	Causes severe eye injury which may persist for several days.
Skin:	Contact with skin may cause irritation, swelling or redness, allergic sensitization.
Inhalation:	Exposure to vapors (mist) will cause respiratory irritation and anesthesia.
Ingestion:	May cause injury of mouth, throat, and stomach.

# 4.3. Indication of any immediate medical attention and special treatment needed

no information

# 5. Firefighting measures

# 5.1. Extinguishing media

Suitable extinguishing media:

Dry chemical, Foam, Carbon dioxide, Dry sand, Loaded stream in spray.

Unsuitable extinguishing media:

Water, High-pressure water jet.

# 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products: Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors. Flash Point: > 71deg.C

# 5.3. Advice for firefighters

Wear special chemical protective clothing and positive pressure self-contained breathing apparatus (SCBA). Approach fire from upwind to avoid hazardous vapors and toxic decomposition products. Decontaminate or discard any clothing that may contain chemical residues. Applying direct water may be dangerous because fire may expand to surroundings.

# 6. Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus and wear appropriate personal protective equipment.

### **6.2.** Environmental precautions

Wipe off spillage. Prevent liquid from entering sewers, waterways or low areas.



### 6.3. Methods and material for containment and cleaning up

Sweep up material and dispose as waste following local regulations.

### 6.4. Reference to other sections

Refer to "Section 8 Exposure controls/ personal protection" and "Section 13 Disposal consideration" as appropriate.

# 7. Handling and storage

### 7.1 Precautions for safe handling

Avoid contact with eyes, skin and clothing. Use proper ventilation and no fire in work place. Put protection wear that has electrical conductivity in case of work. Keep out of reach of children and do not drink.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Do not store the product in high or freezing temperatures. Keep the product out of direct sunlight. Do not store the product with metals, amines, free radical initiators, oxidising agents.

7.3 Specific end use(s): Inkjet Printing

# 8. Exposure controls/ personal protection

### 8.1. Control parameters

Occupational Exposure Limits: Derived No-Effect Level (DNEL)

- Diethylene glycol diethyl ether:
  - [Long term exposure] 50.05 mg/m<sup>3</sup>
  - [Short term exposure] no hazard identified
- gamma-butyrolactone:
  - [Long term exposure] 130 mg/m<sup>3</sup>
  - [Short term exposure] 958 mg/m<sup>3</sup>
- Triethylene glycol monobutyl ether:
  - [Long term exposure] 195 mg/m<sup>3</sup>
    - [Short term exposure] no hazard identified

# 8.2. Exposure controls

Appropriate engineering controls Provide general and/or local exhaust ventilation.

Respiratory protection:

In case ventilation is insufficient, employee must use NIOSH approved air purifying respiratory equipment. Use a half facepiece respirator (with goggles) or full face-piece respirator (without goggles) filtered with organic vapor cartridge.For emergency and other conditions where the exposure guideline may be exceeded, use an approved positive-pressure self-contained breathing apparatus or positive-pressure airline with auxiliary self contained air supply. WARNING: Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.



Version G\_2.0

2020/02/03

# TrueVIS Element Ink, TE2-5MG TrueVIS Element Ink, TE2-7MG

Hand protection:

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, use protective gloves. Recommended impervious gloves is butyl rubber glove.

#### Eye protection:

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear safety glasses or chemical splash goggles.

#### Skin protection:

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear protective clothing.

#### Hygiene measures:

Wash hands after handling. In case contact with clothing, wash before reuse.Do not eat, drink or smoke in handling or storage area.

### Environmental exposure control:

Avoid release to the environment.

# 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

	-
Appearance:	Magenta Liquid
Odour:	Slightly odour
Odour threshold:	Not defined
pH:	Not applicable
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point:	>71deg.C
Evaporation rate:	No data available
Flammability (solid, gas)	Not applicable
Upper/lower flammability or explosive limits:	No data available
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	No data available
Solubility(ies):	soluble
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity:	No data available
Explosive properties:	No data available
Oxidizing properties:	No data available
Volatile organic compounds (VOC) content:	950 grams / L



### 9.2 Other information

No information.

# 10. Stability and reactivity

### **10.1 Reactivity:**

No reactivity under normal temperature.

### 10.2 Chemical stability:

Stable under normal temperature.

### 10.3 Possibility of hazardous reactions:

Not expected.

## **10.4 Conditions to avoid:**

Elevated temperatures/heat, UV light, when not in use.

### **10.5 Incompatible materials:**

Avoid contact with acids, amines, free radical initiators, oxidizing agents.

### 10.6 Hazardous decomposition products:

Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors.

# **11. Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity:

```
gamma-butyrolactone
```

LD50(oral): 1582.0 mg/kg, LD50 (dermal): no data available, LD50 (Inhal.): 5.1 mg/kg

### Serious eye damage/eye irritation:

Causes serious eye damage.

- gamma-butyrolactone
- Triethylene glycol monobutyl ether

# Skin corrosion/irritation:

Causes skin irritation.

• Diethylene glycol diethyl ether

### Respiratory or skin sensitisation:

no data available.

### Germ cell mutagenicity:



TrueVIS Element Ink, TE2-5MG TrueVIS Element Ink, TE2-7MG

2020/02/03

no data available.

#### **Reproductive toxicity:**

no data available.

### **Carcinogenicity:**

None of the ingredients in this ink is listed by IARC as a carcinogen. (1, 2A and 2B)

#### Specific target organ toxicity - single exposure, (STOT-SE):

May cause drowsiness or dizziness.

gamma-butyrolactone

#### Specific target organ toxicity - repeat exposure, (STOT-RE):

no data available.

#### **Aspiration hazard:**

no data available.

### 12. Ecological information

**12.1. Toxicity:** No data available.

#### 12.2. Persistence and degradability:

No data available

#### 12.3. Bioaccumulative potential:

No data available

### 12.4. Mobility in soil:

No data available

### 12.5. Results of PBT and vPvB assessment:

Has not carried out PBT and vPvB assessment.

### 12.6. Other adverse effects:

No data available

### 13. Disposal considerations

#### 13.1. Waste treatment methods

Product:

Dispose as hazardous waste. Packaging with product residues must be disposed of under the same conditions as the product itself.

Recommended waste code: 08 03 12\* (waste ink containing dangerous substances)

# **Roland DG Corporation**



	TrueVIS Element Ink, TE2-5MG TrueVIS Element Ink, TE2-7MG	Version G_2.0 2020/02/03
Uncleaned packaging:	15 01 10* (packaging, the residues of dangerous substances or hazardous v contain or are contaminated by dangerous substances or special wastes)	vaste
Recommendation:	Uncontaminated packaging can be recycled. Non-cleanable packaging mus disposed of in the same way as the substance.	st be
14. Transport information	on	
<b>14.1 UN Class/UN Number</b> ADR/ADG/DOT, IMDG, o	or IATA : Not regulated	
<b>14.2 UN proper shipping nam</b> ADR/ADG/DOT, IMDG, o		
<b>14.3 Transport hazard class(e</b> ADR/ADG/DOT, IMDG, c		
<b>14.4 Packing group</b> ADR/ADG/DOT, IMDG, o	or IATA: Not regulated	
<b>14.5 Environmental hazards</b> ADR/ADG/DOT, IMDG, o	or IATA: Not regulated	
<b>14.6. Special precautions for u</b> ADR/ADG/DOT, IMDG, o	<b>user</b> or IATA : Transport and storage of the product in accordance with general pr and instructions mentioned in this SDS.	recautions
14.7. Transport in bulk accord	ding to Annex II of MARPOL 73/78 and IBC code: Not regulated	
15. Regulatory informati	on	
	Safety Assessment according to (EC)1907/2006 arried out any Chemical Safety Assessment yet.	
Australia Information: Hazardous statement:	Not classified as hazardous according to NOHSC criteria.	
None of the in	isclosure list (limit 0.1%) ngredients are listed. isclosure list (limit 1%)	

Diethylene glycol diethyl ether

Triethylene glycol monobutyl ether



TrueVIS Element Ink, TE2-5MG TrueVIS Element Ink, TE2-7MG

International Information:

None of the ingredients in this ink is listed by IARC as a carcinogen. (1, 2A and 2B)

# 16. Other information

List of relevant H-Statements:

(Reference for Section 3. "Composition/information on ingredients")

- H302: Harmful if swallowed.
- H315: Causes skin irritation.
- H318: Causes serious eye damage.
- H336: May cause drowsiness or dizziness.

The information in this Safety Data Sheet (SDS) is believed to be correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is subject to revision as additional knowledge and experience is gained. Roland DG does not warrant the completeness or accuracy of the information contained herein.





Version G\_2.0

2020/02/03

TrueVIS Element Ink, TE2-5YE TrueVIS Element Ink, TE2-7YE

# Safety Data Sheet

# 1. Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

TrueVIS Element Ink, TE2-5YE TrueVIS Element Ink, TE2-7YE

**1.2. Relevant identified uses of the substance or mixture and uses advised against** Inkjet Printing

# **1.3.** Details of the supplier of the safety data sheet

Manufacture's name: Roland DG Corporation Address: 1-6-4 Shinmiyakoda, Kita-ku, Hamamatsu-shi, Shizuoka-ken, 431-2103 Phone: + 81-53-484-1224 FAX: + 81-53-484-1226

E-mail: Revised date: 3-Feb-2020

## **1.4. Emergency telephone:**

# 2. Hazard identification

# 2.1. Classification of the substance or mixture

This product is classified as hazardous according to GHS.

Flammable liquids	Category 4
Acute toxicity (oral)	Category 5
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

# 2.2. GHS label elements, including precautionary statements

Pictgram(s)



Signal Word:

Danger

### **Hazard Statement:**

Combustible liquid. May be harmful if swallowed. Causes skin irritation. Causes serious eye damage.



### **Precautionary statements — Prevention:**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear protective gloves/protective clothing/eye protection/face protection.

# **Precautionary statements — Response:**

IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTRE/doctor if you feel unwell.

### **Precautionary statements** — **Storage:**

Store in a well-ventilated place. Keep cool.

### 2.3. Other hazards

Potential Health Effects:

Eyes:	Causes severe eye injury which may persist for several days.
Skin:	Contact with skin may cause irritation, swelling or redness, allergic sensitization.
Inhalation:	Exposure to vapors (mist) will cause respiratory irritation and anesthesia.
Ingestion:	May cause injury of mouth, throat, and stomach.
Chronic Health Hazards:	Repeated skin contact may cause a persistent irritation or dermatitis.
Carcinogenicity:	None of the ingredients in this ink is listed by IARC as a carcinogen. (1, 2A and 2B)
Others:	No information.

# 3. Composition/information on ingredients

Chemical nature: mixture

Composition	CAS No.	% By Weight	GHS Classification
Colorant	CBI	1-10	Not classified as hazardous
Diethylene glycol diethyl ether	112-36-7	55-65	Skin Irrit. 2: H315
gamma-butyrolactone	96-48-0	<20	Acute Tox. 4: H302 Eye Damage 1: H318 STOT Single Exp. 3: H336
Dialkylene glycol dialkyl ether	CBI	10-20	Not classified as hazardous
Triethylene glycol monobutyl ether	143-22-6	1-10	Eye Dam. 1: H318
Synthetic resins	CBI	1-10	Not classified as hazardous

† CBI: Confidential Business Information

‡ For the full text of the H-Statements mentioned in this Section, see Section 16.

# 4. First aid measures

**Roland DG Corporation** 



# TrueVIS Element Ink, TE2-5YE TrueVIS Element Ink, TE2-7YE

### 4.1. Description of first aid measures

Eyes:	In case of contact, immediately flush eyes with plenty of water for several minutes. Hold eyelids open
	during flushing. Call a physician.
Skin:	In case of contact, immediately flush with plenty of water while removing contaminated clothing and
	shoes. Wash contaminated clothing before reuse. If swelling or redness occurs, call a physician.
Inhalation:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give
	oxygen. Call a physician.
Ingestion:	If swallowed, DO NOT induce vomiting. Seek immediate medical advice.

# 4.2. Most important symptoms and effects, both acute and delayed

Eyes:	Causes severe eye injury which may persist for several days.	
Skin:	Contact with skin may cause irritation, swelling or redness, allergic sensitization.	
Inhalation:	Exposure to vapors (mist) will cause respiratory irritation and anesthesia.	
Ingestion:	May cause injury of mouth, throat, and stomach.	

# 4.3. Indication of any immediate medical attention and special treatment needed

no information

# 5. Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media:

Dry chemical, Foam, Carbon dioxide, Dry sand, Loaded stream in spray.

Unsuitable extinguishing media:

Water, High-pressure water jet.

# 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products: Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors. Flash Point: > 71deg.C

# 5.3. Advice for firefighters

Wear special chemical protective clothing and positive pressure self-contained breathing apparatus (SCBA). Approach fire from upwind to avoid hazardous vapors and toxic decomposition products. Decontaminate or discard any clothing that may contain chemical residues. Applying direct water may be dangerous because fire may expand to surroundings.

# 6. Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus and wear appropriate personal protective equipment.

### **6.2.** Environmental precautions

Wipe off spillage. Prevent liquid from entering sewers, waterways or low areas.



### 6.3. Methods and material for containment and cleaning up

Sweep up material and dispose as waste following local regulations.

### 6.4. Reference to other sections

Refer to "Section 8 Exposure controls/ personal protection" and "Section 13 Disposal consideration" as appropriate.

### 7. Handling and storage

### 7.1 Precautions for safe handling

Avoid contact with eyes, skin and clothing. Use proper ventilation and no fire in work place. Put protection wear that has electrical conductivity in case of work. Keep out of reach of children and do not drink.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Do not store the product in high or freezing temperatures. Keep the product out of direct sunlight. Do not store the product with metals, amines, free radical initiators, oxidising agents.

7.3 Specific end use(s): Inkjet Printing

### 8. Exposure controls/ personal protection

### 8.1. Control parameters

Occupational Exposure Limits: Derived No-Effect Level (DNEL)

- Diethylene glycol diethyl ether:
  - [Long term exposure] 50.05 mg/m<sup>3</sup>

[Short term exposure] no hazard identified

- gamma-butyrolactone:

[Long term exposure] 130 mg/m<sup>3</sup>

[Short term exposure] 958 mg/m<sup>3</sup>

- Triethylene glycol monobutyl ether:
  - [Long term exposure] 195 mg/m<sup>3</sup>

[Short term exposure] no hazard identified

### 8.2. Exposure controls

Appropriate engineering controls Provide general and/or local exhaust ventilation.

Respiratory protection:

In case ventilation is insufficient, employee must use NIOSH approved air purifying respiratory equipment. Use a half facepiece respirator (with goggles) or full face-piece respirator (without goggles) filtered with organic vapor cartridge.For emergency and other conditions where the exposure guideline may be exceeded, use an approved positive-pressure self-contained breathing apparatus or positive-pressure airline with auxiliary self contained air supply. WARNING: Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.



## TrueVIS Element Ink, TE2-5YE TrueVIS Element Ink, TE2-7YE

### Hand protection:

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, use protective gloves. Recommended impervious gloves is butyl rubber glove.

### Eye protection:

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear safety glasses or chemical splash goggles.

### Skin protection:

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear protective clothing.

### Hygiene measures:

Wash hands after handling. In case contact with clothing, wash before reuse.Do not eat, drink or smoke in handling or storage area.

## Environmental exposure control:

Avoid release to the environment.

# 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

	1
Appearance:	Yellow Liquid
Odour:	Slightly odour
Odour threshold:	Not defined
pH:	Not applicable
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point:	>71deg.C
Evaporation rate:	No data available
Flammability (solid, gas)	Not applicable
Upper/lower flammability or explosive limits:	No data available
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	No data available
Solubility(ies):	soluble
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity:	No data available
Explosive properties:	No data available
Oxidizing properties:	No data available
Volatile organic compounds (VOC) content:	950 grams / L



### 9.2 Other information

No information.

# 10. Stability and reactivity

### **10.1 Reactivity:**

No reactivity under normal temperature.

### 10.2 Chemical stability:

Stable under normal temperature.

### 10.3 Possibility of hazardous reactions:

Not expected.

## **10.4 Conditions to avoid:**

Elevated temperatures/heat, UV light, when not in use.

### **10.5 Incompatible materials:**

Avoid contact with acids, amines, free radical initiators, oxidizing agents.

### 10.6 Hazardous decomposition products:

Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors.

# **11. Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity:

```
gamma-butyrolactone
```

LD50(oral): 1582.0 mg/kg, LD50 (dermal): no data available, LD50 (Inhal.): 5.1 mg/kg

### Serious eye damage/eye irritation:

Causes serious eye damage.

- gamma-butyrolactone
- Triethylene glycol monobutyl ether

# Skin corrosion/irritation:

Causes skin irritation.

• Diethylene glycol diethyl ether

### Respiratory or skin sensitisation:

no data available.

### Germ cell mutagenicity:



TrueVIS Element Ink, TE2-5YE TrueVIS Element Ink, TE2-7YE

2020/02/03

no data available.

### **Reproductive toxicity:**

no data available.

### **Carcinogenicity:**

None of the ingredients in this ink is listed by IARC as a carcinogen. (1, 2A and 2B)

#### Specific target organ toxicity - single exposure, (STOT-SE):

May cause drowsiness or dizziness.

gamma-butyrolactone

#### Specific target organ toxicity - repeat exposure, (STOT-RE):

no data available.

#### **Aspiration hazard:**

no data available.

### 12. Ecological information

**12.1. Toxicity:** No data available.

### 12.2. Persistence and degradability:

No data available

#### 12.3. Bioaccumulative potential:

No data available

### 12.4. Mobility in soil:

No data available

### 12.5. Results of PBT and vPvB assessment:

Has not carried out PBT and vPvB assessment.

### 12.6. Other adverse effects:

No data available

### 13. Disposal considerations

#### 13.1. Waste treatment methods

Product:

Dispose as hazardous waste. Packaging with product residues must be disposed of under the same conditions as the product itself.

Recommended waste code: 08 03 12\* (waste ink containing dangerous substances)

# **Roland DG Corporation**



		Version G_2.0
	TrueVIS Element Ink, TE2-5YE TrueVIS Element Ink, TE2-7YE	2020/02/03
Uncleaned packaging:	15 01 10* (packaging, the residues of dangerous substances or haza contain or are contaminated by dangerous substances or special was	
Recommendation:	Uncontaminated packaging can be recycled. Non-cleanable packagi disposed of in the same way as the substance.	ing must be
14. Transport informati	on	
14.1 UN Class/UN Number		
ADR/ADG/DOT, IMDG,	or IATA: Not regulated	
14.2 UN proper shipping nar		
ADR/ADG/DOT, IMDG,	or IATA: Not regulated	
14.3 Transport hazard class(	(es)	
ADR/ADG/DOT, IMDG,	or IATA: Not regulated	
14.4 Packing group	on IATA . Not normalized	
ADR/ADG/DOT, IMDG,	of IATA. Not regulated	
14.5 Environmental hazards		
ADR/ADG/DOT, IMDG,	or IATA: Not regulated	
14.6. Special precautions for		noral propositions
ADR/ADG/DOT, IMDG,	or IATA : Transport and storage of the product in accordance with gen and instructions mentioned in this SDS.	neral precautions
	and instructions mentioned in this 505.	
14.7. Transport in bulk acco	rding to Annex II of MARPOL 73/78 and IBC code: Not regulated	
15. Regulatory informat	tion	
-	al Safety Assessment according to (EC)1907/2006	
	carried out any Chemical Safety Assessment yet.	
Australia Information:	Not classified as hazardous according to NOHSC criteria.	
Hazaruous statement.	not classified as nazaruous according to inorrise cificita.	
Canadian Information:		
Canadian Ingredient	Disclosure list (limit 0.1%)	
	ingredients are listed.	
Canadian Ingredient	Disclosure list (limit 1%)	

Diethylene glycol diethyl ether

Triethylene glycol monobutyl ether



TrueVIS Element Ink, TE2-5YE TrueVIS Element Ink, TE2-7YE

International Information:

None of the ingredients in this ink is listed by IARC as a carcinogen. (1, 2A and 2B

# 16. Other information

List of relevant H-Statements:

(Reference for Section 3. "Composition/information on ingredients")

- H302: Harmful if swallowed.
- H315: Causes skin irritation.
- H318: Causes serious eye damage.
- H336: May cause drowsiness or dizziness.

The information in this Safety Data Sheet (SDS) is believed to be correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is subject to revision as additional knowledge and experience is gained. Roland DG does not warrant the completeness or accuracy of the information contained herein.





Version G\_2.0

2020/02/03

TrueVIS Element Ink, TE2-5BK TrueVIS Element Ink, TE2-7BK

# Safety Data Sheet

# 1. Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

TrueVIS Element Ink, TE2-5BK TrueVIS Element Ink, TE2-7BK

**1.2. Relevant identified uses of the substance or mixture and uses advised against** Inkjet Printing

# **1.3.** Details of the supplier of the safety data sheet

Manufacture's name: Roland DG Corporation Address: 1-6-4 Shinmiyakoda, Kita-ku, Hamamatsu-shi, Shizuoka-ken, 431-2103 Phone: + 81-53-484-1224 FAX: + 81-53-484-1226

E-mail: Revised date: 3-Feb-2020

# **1.4. Emergency telephone:**

# 2. Hazard identification

# 2.1. Classification of the substance or mixture

This product is classified as hazardous according to GHS.

Flammable liquids	Category 4
Acute toxicity (oral)	Category 5
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

# 2.2. GHS label elements, including precautionary statements

Pictgram(s)



Signal Word:

Danger

### **Hazard Statement:**

Combustible liquid. May be harmful if swallowed. Causes skin irritation. Causes serious eye damage.



### **Precautionary statements — Prevention:**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear protective gloves/protective clothing/eye protection/face protection.

# **Precautionary statements — Response:**

IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTRE/doctor if you feel unwell.

### **Precautionary statements — Storage:**

Store in a well-ventilated place. Keep cool.

### 2.3. Other hazards

Potential Health Effects:

Eyes:	Causes severe eye injury which may persist for several days.
Skin:	Contact with skin may cause irritation, swelling or redness, allergic sensitization.
Inhalation:	Exposure to vapors (mist) will cause respiratory irritation and anesthesia.
Ingestion:	May cause injury of mouth, throat, and stomach.
Chronic Health Hazards:	Repeated skin contact may cause a persistent irritation or dermatitis.
Carcinogenicity:	This product contains Carbon black.IARC evaluated printing ink as a Group 3.(IARC
	Group 3: Not classifiable as to carcinogenicity to humans)
Others:	No information.

# 3. Composition/information on ingredients

Chemical nature: mixture

Composition	CAS No.	% By Weight	GHS Classification
Carbon black	1333-86-4	1-10	Not classified as hazardous
Diethylene glycol diethyl ether	112-36-7	55-65	Skin Irrit. 2: H315
gamma-butyrolactone	96-48-0	<20	Acute Tox. 4: H302 Eye Damage 1: H318 STOT Single Exp. 3: H336
Dialkylene glycol dialkyl ether	CBI	10-20	Not classified as hazardous
Triethylene glycol monobutyl ether	143-22-6	1-10	Eye Dam. 1: H318
Synthetic resins	CBI	1-10	Not classified as hazardous

† CBI: Confidential Business Information

‡ For the full text of the H-Statements mentioned in this Section, see Section 16.



### TrueVIS Element Ink, TE2-5BK TrueVIS Element Ink, TE2-7BK

# 4. First aid measures

## 4.1. Description of first aid measures

- Eyes: In case of contact, immediately flush eyes with plenty of water for several minutes. Hold eyelids open during flushing. Call a physician. Skin: In case of contact, immediately flush with plenty of water while removing contaminated clothing and shoes. Wash contaminated clothing before reuse. If swelling or redness occurs, call a physician. Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.
- If swallowed, DO NOT induce vomiting. Seek immediate medical advice. Ingestion:

### 4.2. Most important symptoms and effects, both acute and delayed

Eyes:	Causes severe eye injury which may persist for several days.
Skin:	Contact with skin may cause irritation, swelling or redness, allergic sensitization.
Inhalation:	Exposure to vapors (mist) will cause respiratory irritation and anesthesia.
Ingestion:	May cause injury of mouth, throat, and stomach.

### 4.3. Indication of any immediate medical attention and special treatment needed

no information

# 5. Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media:

Dry chemical, Foam, Carbon dioxide, Dry sand, Loaded stream in spray.

Unsuitable extinguishing media:

Water, High-pressure water jet.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products: Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors. Flash Point: > 71deg.C

### 5.3. Advice for firefighters

Wear special chemical protective clothing and positive pressure self-contained breathing apparatus (SCBA). Approach fire from upwind to avoid hazardous vapors and toxic decomposition products. Decontaminate or discard any clothing that may contain chemical residues. Applying direct water may be dangerous because fire may expand to surroundings.

# 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus and wear appropriate personal protective equipment.

### **6.2.** Environmental precautions

2020/02/03



TrueVIS Element Ink, TE2-5BK TrueVIS Element Ink, TE2-7BK

Wipe off spillage. Prevent liquid from entering sewers, waterways or low areas.

### 6.3. Methods and material for containment and cleaning up

Sweep up material and dispose as waste following local regulations.

### 6.4. Reference to other sections

Refer to "Section 8 Exposure controls/ personal protection" and "Section 13 Disposal consideration" as appropriate.

# 7. Handling and storage

### 7.1 Precautions for safe handling

Avoid contact with eyes, skin and clothing. Use proper ventilation and no fire in work place. Put protection wear that has electrical conductivity in case of work. Keep out of reach of children and do not drink.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Do not store the product in high or freezing temperatures. Keep the product out of direct sunlight. Do not store the product with metals, amines, free radical initiators, oxidising agents.

7.3 Specific end use(s): Inkjet Printing

# 8. Exposure controls/ personal protection

### 8.1. Control parameters

- Occupational Exposure Limits:
- Derived No-Effect Level (DNEL)
  - Carbon black:
    - [Long term exposure] 2 mg/m<sup>3</sup>
    - [Short term exposure] no data available
  - Diethylene glycol diethyl ether:
    - [Long term exposure] 50.05 mg/m<sup>3</sup>
    - [Short term exposure] no hazard identified
  - gamma-butyrolactone:
    - [Long term exposure] 130 mg/m<sup>3</sup>
    - [Short term exposure] 958 mg/m<sup>3</sup>
  - Triethylene glycol monobutyl ether:
    - [Long term exposure] 195 mg/m<sup>3</sup>
    - [Short term exposure] no hazard identified

### 8.2. Exposure controls

Appropriate engineering controls

Provide general and/or local exhaust ventilation.

Respiratory protection:

In case ventilation is insufficient, employee must use NIOSH approved air purifying respiratory equipment. Use a half facepiece respirator (with goggles) or full face-piece respirator (without goggles) filtered with



Version G\_2.0 2020/02/03

organic vapor cartridge.For emergency and other conditions where the exposure guideline may be exceeded, use an approved positive-pressure self-contained breathing apparatus or positive-pressure airline with auxiliary self contained air supply. WARNING: Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.

### Hand protection:

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, use protective gloves. Recommended impervious gloves is butyl rubber glove.

#### Eye protection:

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear safety glasses or chemical splash goggles.

#### Skin protection:

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear protective clothing.

#### Hygiene measures:

Wash hands after handling. In case contact with clothing, wash before reuse.Do not eat, drink or smoke in handling or storage area.

### Environmental exposure control:

Avoid release to the environment.

# 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance:	Black Liquid
Odour:	Slightly odour
Odour threshold:	Not defined
pH:	Not applicable
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point:	>71deg.C
Evaporation rate:	No data available
Flammability (solid, gas)	Not applicable
Upper/lower flammability or explosive limits:	No data available
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	No data available
Solubility(ies):	soluble
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available



Viscosity:	No data available
Explosive properties:	No data available
Oxidizing properties:	No data available
Volatile organic compounds (VOC) content:	950 grams / L

# 9.2 Other information

No information.

# 10. Stability and reactivity

### **10.1 Reactivity:**

No reactivity under normal temperature.

### 10.2 Chemical stability:

Stable under normal temperature.

### 10.3 Possibility of hazardous reactions:

Not expected.

### **10.4 Conditions to avoid:**

Elevated temperatures/heat, UV light, when not in use.

### **10.5 Incompatible materials:**

Avoid contact with acids, amines, free radical initiators, oxidizing agents.

### 10.6 Hazardous decomposition products:

Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors.

# 11. Toxicological information

# 11.1. Information on toxicological effects

### Acute toxicity:

gamma-butyrolactone

LD50 (oral) : 1582.0 mg/kg, LD50 (dermal): no data available, LD50 (Inhal.): 5.1 mg/L

### Serious eye damage/eye irritation:

- Causes serious eye damage.
  - gamma-butyrolactone
  - Triethylene glycol monobutyl ether

#### Skin corrosion/irritation:

Causes skin irritation.

• Diethylene glycol diethyl ether



#### Respiratory or skin sensitisation:

no data available.

#### Germ cell mutagenicity:

no data available.

### **Reproductive toxicity:**

no data available.

#### **Carcinogenicity:**

This product contains Carbon black. IARC evaluated printing ink as a Group 3. (IARC Group 3: Not classifiable as to carcinogenicity to humans)

### Specific target organ toxicity - single exposure, (STOT-SE):

May cause drowsiness or dizziness.

• gamma-butyrolactone

### Specific target organ toxicity - repeat exposure, (STOT-RE):

no data available.

### Aspiration hazard:

no data available.

# **12. Ecological information**

**12.1. Toxicity:** No data available.

### 12.2. Persistence and degradability:

No data available

### 12.3. Bioaccumulative potential:

No data available

### **12.4. Mobility in soil:**

No data available

# 12.5. Results of PBT and vPvB assessment:

Has not carried out PBT and vPvB assessment.

## 12.6. Other adverse effects:

No data available



### TrueVIS Element Ink, TE2-5BK TrueVIS Element Ink, TE2-7BK

# 13. Disposal considerations

## 13.1. Waste treatment methods

Product:	Dispose as hazardous waste. Packaging with product residues must be disposed of under the same conditions as the product itself.
Recommended waste code:	08 03 12* (waste ink containing dangerous substances)
Uncleaned packaging:	15 01 10* (packaging, the residues of dangerous substances or hazardous waste contain or are contaminated by dangerous substances or special wastes)
Recommendation:	Uncontaminated packaging can be recycled. Non-cleanable packaging must be disposed of in the same way as the substance.

# **14. Transport information**

### 14.1 UN Class/UN Number

ADR/ADG/DOT, IMDG, or IATA: Not regulated

# 14.2 UN proper shipping name

ADR/ADG/DOT, IMDG, or IATA: Not regulated

## 14.3 Transport hazard class(es)

ADR/ADG/DOT, IMDG, or IATA: Not regulated

# 14.4 Packing group ADR/ADG/DOT, IMDG, or IATA: Not regulated

# 14.5 Environmental hazards ADR/ADG/DOT, IMDG, or IATA: Not regulated

# 14.6. Special precautions for user

ADR/ADG/DOT, IMDG, or IATA: Transport and storage of the product in accordance with general precautions and instructions mentioned in this SDS.

# 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and IBC code: Not regulated

# **15. Regulatory information**

EU Information: Chemical Safety Assessment according to (EC)1907/2006 This product has not carried out any Chemical Safety Assessment yet.

### Australia Information:

Hazardous statement: Not classified as hazardous according to NOHSC criteria.



Canadian Information:

Canadian Ingredient Disclosure list (limit 0.1%) None of the ingredients are listed. Canadian Ingredient Disclosure list (limit 1%) Diethylene glycol diethyl ether Carbon black Triethylene glycol monobutyl ether

International Information:

This product contains Carbon black.

IARC evaluated printing ink as a Group 3.

(IARC Group 3: Not classifiable as to carcinogenicity to humans

# 16. Other information

List of relevant H-Statements:

(Reference for Section 3. "Composition/information on ingredients")

- H302: Harmful if swallowed.

- H315: Causes skin irritation.

- H318: Causes serious eye damage.

- H336: May cause drowsiness or dizziness.

The information in this Safety Data Sheet (SDS) is believed to be correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is subject to revision as additional knowledge and experience is gained. Roland DG does not warrant the completeness or accuracy of the information contained herein.





2020/02/03

## Safety Data Sheet

## 1. Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

TrueVIS Element Ink, TE2-7LC

**1.2. Relevant identified uses of the substance or mixture and uses advised against** Inkjet Printing

## 1.3. Details of the supplier of the safety data sheet

Manufacture's name:Roland DG CorporationAddress:1-6-4 Shinmiyakoda, Kita-ku, Hamamatsu-shi, Shizuoka-ken, 431-2103Phone:+ 81-53-484-1224FAX:+ 81-53-484-1226

E-mail: Revised date: 3-Feb-2020

#### **1.4. Emergency telephone:**

## 2. Hazard identification

#### 2.1. Classification of the substance or mixture

This product is classified as hazardous according to GHS.

Flammable liquids	Category 4
Acute toxicity (oral)	Category 5
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

## 2.2. GHS label elements, including precautionary statements

#### Pictgram(s)



Signal Word:

#### Dang

#### **Hazard Statement:**

Combustible liquid. May be harmful if swallowed. Causes skin irritation. Causes serious eye damage.



#### **Precautionary statements** — **Prevention:**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear protective gloves/protective clothing/eye protection/face protection.

#### Precautionary statements — Response:

IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTRE/doctor/... if you feel unwell.

#### **Precautionary statements — Storage:**

Store in a well-ventilated place. Keep cool.

#### 2.3. Other hazards

Potential Health Effects:Eyes:Causes severe eye injury which may persist for several days.Skin:Contact with skin may cause irritation, swelling or redness, allergic sensitization.Inhalation:Exposure to vapors (mist) will cause respiratory irritation and anesthesia.Ingestion:May cause injury of mouth, throat, and stomach.Chronic Health Hazards:Repeated skin contact may cause a persistent irritation or dermatitis.Carcinogenicity:None of the ingredients in this ink is listed by IARC as a carcinogen. (1, 2A and 2B)Others:No information.

## 3. Composition/information on ingredients

#### Chemical nature: mixture

Composition	CAS No.	% By Weight	GHS Classification
Colorant	CBI	0-1	Not classified as hazardous
Diethylene glycol diethyl ether	112-36-7	55-65	Skin Irrit. 2: H315
gamma-butyrolactone	96-48-0	<20	Acute Tox. 4: H302 Eye Damage 1: H318 STOT Single Exp. 3: H336
Dialkylene glycol dialkyl ether	CBI	10-20	Not classified as hazardous
Triethylene glycol monobutyl ether	143-22-6	1-10	Eye Dam. 1: H318
Synthetic resins	CBI	1-10	Not classified as hazardous

† CBI: Confidential Business Information

 $\ddagger$  For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. First aid measures

4.1. Description of first aid measures



Eyes:	In case of contact, immediately flush eyes with plenty of water for several minutes. Hold eyelids open
	during flushing. Call a physician.
Skin:	In case of contact, immediately flush with plenty of water while removing contaminated clothing and
	shoes. Wash contaminated clothing before reuse. If swelling or redness occurs, call a physician.
Inhalation:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give
	oxygen. Call a physician.
Ingestion:	If swallowed, DO NOT induce vomiting. Seek immediate medical advice.

## 4.2. Most important symptoms and effects, both acute and delayed

Eyes:	Causes severe eye injury which may persist for several days.
Skin:	Contact with skin may cause irritation, swelling or redness, allergic sensitization.
Inhalation:	Exposure to vapors (mist) will cause respiratory irritation and anesthesia.
Ingestion:	May cause injury of mouth, throat, and stomach.

## 4.3. Indication of any immediate medical attention and special treatment needed

no information

## 5. Firefighting measures

## 5.1. Extinguishing media

Suitable extinguishing media:

Dry chemical, Foam, Carbon dioxide, Dry sand, Loaded stream in spray.

Unsuitable extinguishing media:

Water, High-pressure water jet.

## 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products: Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors. Flash Point: > 71deg.C

## 5.3. Advice for firefighters

Wear special chemical protective clothing and positive pressure self-contained breathing apparatus (SCBA). Approach fire from upwind to avoid hazardous vapors and toxic decomposition products. Decontaminate or discard any clothing that may contain chemical residues. Applying direct water may be dangerous because fire may expand to surroundings.

## 6. Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus and wear appropriate personal protective equipment.

### 6.2. Environmental precautions

Wipe off spillage. Prevent liquid from entering sewers, waterways or low areas.



## 6.3. Methods and material for containment and cleaning up

Sweep up material and dispose as waste following local regulations.

#### 6.4. Reference to other sections

Refer to "Section 8 Exposure controls/ personal protection" and "Section 13 Disposal consideration" as appropriate.

## 7. Handling and storage

#### 7.1 Precautions for safe handling

Avoid contact with eyes, skin and clothing. Use proper ventilation and no fire in work place. Put protection wear that has electrical conductivity in case of work. Keep out of reach of children and do not drink.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Do not store the product in high or freezing temperatures. Keep the product out of direct sunlight. Do not store the product with metals, amines, free radical initiators, oxidising agents.

7.3 Specific end use(s): Inkjet Printing

#### 8. Exposure controls/ personal protection

#### 8.1. Control parameters

Occupational Exposure Limits:

Derived No-Effect Level (DNEL)

Diethylene glycol diethyl ether:

[Long term exposure] 50.05 mg/m<sup>3</sup>

[Short term exposure] no hazard identified

- gamma-butyrolactone:

[Long term exposure] 130 mg/m<sup>3</sup>

[Short term exposure] 958 mg/m<sup>3</sup>

- Triethylene glycol monobutyl ether:

[Long term exposure] 195 mg/m<sup>3</sup>

[Short term exposure] no hazard identified

#### 8.2. Exposure controls

Appropriate engineering controls Provide general and/or local exhaust ventilation.

#### Respiratory protection:

In case ventilation is insufficient, employee must use NIOSH approved air purifying respiratory equipment. Use a half facepiece respirator (with goggles) or full face-piece respirator (without goggles) filtered with organic vapor cartridge.For emergency and other conditions where the exposure guideline may be exceeded, use an approved positive-pressure self-contained breathing apparatus or positive-pressure airline with auxiliary self contained air supply. WARNING: Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.

Version G\_2.0 2020/02/03



Version G\_2.0 2020/02/03

#### Hand protection:

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, use protective gloves. Recommended impervious gloves is butyl rubber glove.

#### Eye protection:

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear safety glasses or chemical splash goggles.

#### Skin protection:

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear protective clothing.

#### Hygiene measures:

Wash hands after handling. In case contact with clothing, wash before reuse.Do not eat, drink or smoke in handling or storage area.

#### Environmental exposure control:

Avoid release to the environment.

## 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

	1
Appearance:	Cyan Liquid
Odour:	Slightly odour
Odour threshold:	Not defined
pH:	Not applicable
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point:	>71deg.C
Evaporation rate:	No data available
Flammability (solid, gas)	Not applicable
Upper/lower flammability or explosive limits:	No data available
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	No data available
Solubility(ies):	soluble
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity:	No data available
Explosive properties:	No data available
Oxidizing properties:	No data available
Volatile organic compounds (VOC) content:	950 grams / L



9.2 Other information

No information.

## 10. Stability and reactivity

#### 10.1 Reactivity:

No reactivity under normal temperature.

#### **10.2** Chemical stability:

Stable under normal temperature.

## 10.3 Possibility of hazardous reactions:

Not expected.

#### **10.4 Conditions to avoid:**

Elevated temperatures/heat, UV light, when not in use.

#### **10.5 Incompatible materials:**

Avoid contact with acids, amines, free radical initiators, oxidizing agents.

#### 10.6 Hazardous decomposition products:

Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors.

## 11. Toxicological information

#### 11.1. Information on toxicological effects

## Acute toxicity:

gamma-butyrolactone

LD50(oral): 1582.0 mg/kg, LD50 (dermal): no data available, LD50 (Inhal.): 5.1 mg/kg

#### Serious eye damage/eye irritation:

Causes serious eye damage.

- gamma-butyrolactone
- Triethylene glycol monobutyl ether

#### Skin corrosion/irritation:

Causes skin irritation.

• Diethylene glycol diethyl ether

#### Respiratory or skin sensitisation:

no data available.

#### Germ cell mutagenicity:

no data available.



Version G\_2.0 2020/02/03

## **Reproductive toxicity:**

no data available.

#### **Carcinogenicity:**

None of the ingredients in this ink is listed by IARC as a carcinogen. (1, 2A and 2B)

#### Specific target organ toxicity - single exposure, (STOT-SE):

May cause drowsiness or dizziness. • gamma-butyrolactone

#### Specific target organ toxicity - repeat exposure, (STOT-RE):

no data available.

#### **Aspiration hazard:**

no data available.

## 12. Ecological information

**12.1. Toxicity:** No data available.

#### 12.2. Persistence and degradability:

No data available

12.3. Bioaccumulative potential:

No data available

#### 12.4. Mobility in soil:

No data available

## 12.5. Results of PBT and vPvB assessment:

Has not carried out PBT and vPvB assessment.

#### 12.6. Other adverse effects:

No data available

## 13. Disposal considerations

#### 13.1. Waste treatment methods

Product:Dispose as hazardous waste. Packaging with product residues must be disposed of<br/>under the same conditions as the product itself.

Recommended waste code: 08 03 12\* (waste ink containing dangerous substances)

Uncleaned packaging: 15 01 10\* (packaging, the residues of dangerous substances or hazardous waste



contain or are contaminated by dangerous substances or special wastes)

Recommendation: Uncontaminated packaging can be recycled. Non-cleanable packaging must be disposed of in the same way as the substance.

## 14. Transport information

## 14.1 UN Class/UN Number

ADR/ADG/DOT, IMDG, or IATA: Not regulated

**14.2 UN proper shipping name** ADR/ADG/DOT, IMDG, or IATA : Not regulated

## 14.3 Transport hazard class(es)

ADR/ADG/DOT, IMDG, or IATA: Not regulated

**14.4 Packing group** ADR/ADG/DOT, IMDG, or IATA : Not regulated

## 14.5 Environmental hazards

ADR/ADG/DOT, IMDG, or IATA: Not regulated

## 14.6. Special precautions for user

ADR/ADG/DOT, IMDG, or IATA: Transport and storage of the product in accordance with general precautions and instructions mentioned in this SDS.

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and IBC code: Not regulated

## 15. Regulatory information

EU Information: Chemical Safety Assessment according to (EC)1907/2006 This product has not carried out any Chemical Safety Assessment yet.

#### Australia Information:

Hazardous statement: Not classified as hazardous according to NOHSC criteria.

### Canadian Information:

Canadian Ingredient Disclosure list (limit 0.1%) None of the ingredients are listed. Canadian Ingredient Disclosure list (limit 1%) Diethylene glycol diethyl ether Triethylene glycol monobutyl ether

International Information:

None of the ingredients in this ink is listed by IARC as a carcinogen. (1, 2A and 2B



Version G\_2.0 2020/02/03

## 16. Other information

List of relevant H-Statements:

- (Reference for Section 3. "Composition/information on ingredients")
- H302: Harmful if swallowed.
- -H315: Causes skin irritation.
- H318: Causes serious eye damage.
- H336: May cause drowsiness or dizziness.

The information in this Safety Data Sheet (SDS) is believed to be correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is subject to revision as additional knowledge and experience is gained. Roland DG does not warrant the completeness or accuracy of the information contained herein.



**Roland DG Corporation** 



2020/02/03

# **Safety Data Sheet**

## 1. Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

TrueVIS Element Ink, TE2-7LM

1.2. Relevant identified uses of the substance or mixture and uses advised against Inkjet Printing

## 1.3. Details of the supplier of the safety data sheet

Manufacture's name: Roland DG Corporation Address: 1-6-4 Shinmiyakoda, Kita-ku, Hamamatsu-shi, Shizuoka-ken, 431-2103 Phone: +81-53-484-1224 FAX: +81-53-484-1226

E-mail: Revised date: 3-Feb-2020

#### **1.4. Emergency telephone:**

## 2. Hazard identification

#### 2.1. Classification of the substance or mixture

This product is classified as hazardous according to GHS.

Flammable liquids	Category 4
Acute toxicity (oral)	Category 5
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

## 2.2. GHS label elements, including precautionary statements

#### Pictgram(s)



Signal Word:

#### **Hazard Statement:**

Combustible liquid. May be harmful if swallowed. Causes skin irritation. Causes serious eye damage.

**Roland DG Corporation** 



#### **Precautionary statements** — **Prevention:**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear protective gloves/protective clothing/eye protection/face protection.

#### Precautionary statements — Response:

IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTRE/doctor if you feel unwell.

#### **Precautionary statements — Storage:**

Store in a well-ventilated place. Keep cool.

#### 2.3. Other hazards

Potential Health Effects:

Eyes:	Causes severe eye injury which may persist for several days.
Skin:	Contact with skin may cause irritation, swelling or redness, allergic sensitization.
Inhalation:	Exposure to vapors (mist) will cause respiratory irritation and anesthesia.
Ingestion:	May cause injury of mouth, throat, and stomach.
Chronic Health Hazards:	Repeated skin contact may cause a persistent irritation or dermatitis.
Carcinogenicity:	None of the ingredients in this ink is listed by IARC as a carcinogen. (1, 2A and 2B)
Others:	No information.

## 3. Composition/information on ingredients

#### Chemical nature: mixture

Composition	CAS No.	% By Weight	GHS Classification
Diethylene glycol diethyl ether	112-36-7	55-65	Skin Irrit. 2: H315
gamma-butyrolactone	96-48-0	<20	Acute Tox. 4: H302 Eye Damage 1: H318 STOT Single Exp. 3: H336
Dialkylene glycol dialkyl ether	CBI	10-20	Not classified as hazardous
Triethylene glycol monobutyl ether	143-22-6	1-10	Eye Dam. 1: H318
Synthetic resins	CBI	1-10	Not classified as hazardous

† CBI: Confidential Business Information

 $\ddagger$  For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. First aid measures

## 4.1. Description of first aid measures

Eyes: In case of contact, immediately flush eyes with plenty of water for several minutes. Hold eyelids open



TrueVIS Element Ink, TE2-7LM

during flushing. Call a physician.

Skin: In case of contact, immediately flush with plenty of water while removing contaminated clothing and shoes. Wash contaminated clothing before reuse. If swelling or redness occurs, call a physician.

- Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.
- Ingestion: If swallowed, DO NOT induce vomiting. Seek immediate medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

Eyes:	Causes severe eye injury which may persist for several days.
Skin:	Contact with skin may cause irritation, swelling or redness, allergic sensitization.
Inhalation:	Exposure to vapors (mist) will cause respiratory irritation and anesthesia.
Ingestion:	May cause injury of mouth, throat, and stomach.

#### 4.3. Indication of any immediate medical attention and special treatment needed

no information

## 5. Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media:

Dry chemical, Foam, Carbon dioxide, Dry sand, Loaded stream in spray.

Unsuitable extinguishing media:

Water, High-pressure water jet.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products: Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors. Flash Point: > 71deg.C

#### 5.3. Advice for firefighters

Wear special chemical protective clothing and positive pressure self-contained breathing apparatus (SCBA). Approach fire from upwind to avoid hazardous vapors and toxic decomposition products. Decontaminate or discard any clothing that may contain chemical residues. Applying direct water may be dangerous because fire may expand to surroundings.

## 6. Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus and wear appropriate personal protective equipment.

#### **6.2.** Environmental precautions

Wipe off spillage. Prevent liquid from entering sewers, waterways or low areas.

## 6.3. Methods and material for containment and cleaning up



2020/02/03

Sweep up material and dispose as waste following local regulations.

#### 6.4. Reference to other sections

Refer to "Section 8 Exposure controls/ personal protection" and "Section 13 Disposal consideration" as appropriate.

## 7. Handling and storage

#### 7.1 Precautions for safe handling

Avoid contact with eyes, skin and clothing. Use proper ventilation and no fire in work place. Put protection wear that has electrical conductivity in case of work. Keep out of reach of children and do not drink.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Do not store the product in high or freezing temperatures. Keep the product out of direct sunlight. Do not store the product with metals, amines, free radical initiators, oxidising agents.

7.3 Specific end use(s): Inkjet Printing

#### 8. Exposure controls/ personal protection

#### 8.1. Control parameters

Occupational Exposure Limits:

Derived No-Effect Level (DNEL)

- Diethylene glycol diethyl ether:
  - [Long term exposure] 50.05 mg/m<sup>3</sup>
  - [Short term exposure] no hazard identified
- gamma-butyrolactone:

[Long term exposure] 130 mg/m<sup>3</sup>

- [Short term exposure] 958 mg/m<sup>3</sup>
- Triethylene glycol monobutyl ether:
  - [Long term exposure] 195 mg/m<sup>3</sup>
  - [Short term exposure] no hazard identified

#### 8.2. Exposure controls

Appropriate engineering controls

Provide general and/or local exhaust ventilation.

#### Respiratory protection:

In case ventilation is insufficient, employee must use NIOSH approved air purifying respiratory equipment. Use a half facepiece respirator (with goggles) or full face-piece respirator (without goggles) filtered with organic vapor cartridge.For emergency and other conditions where the exposure guideline may be exceeded, use an approved positive-pressure self-contained breathing apparatus or positive-pressure airline with auxiliary self contained air supply. WARNING: Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.

Hand protection:



## TrueVIS Element Ink, TE2-7LM

Version G\_2.0

2020/02/03

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, use protective gloves. Recommended impervious gloves is butyl rubber glove.

#### Eye protection:

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear safety glasses or chemical splash goggles.

#### Skin protection:

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear protective clothing.

#### Hygiene measures:

Wash hands after handling. In case contact with clothing, wash before reuse.Do not eat, drink or smoke in handling or storage area.

Environmental exposure control:

Avoid release to the environment.

## 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance:	Magenta Liquid
Odour:	Slightly odour
Odour threshold:	Not defined
pH:	Not applicable
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point:	>71deg.C
Evaporation rate:	No data available
Flammability (solid, gas)	Not applicable
Upper/lower flammability or explosive limits:	No data available
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	No data available
Solubility(ies):	soluble
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity:	No data available
Explosive properties:	No data available
Oxidizing properties:	No data available
Volatile organic compounds (VOC) content:	950 grams /L

#### 9.2 Other information

**Roland DG Corporation** 



TrueVIS Element Ink, TE2-7LM

Version G\_2.0

2020/02/03

No information.

## 10. Stability and reactivity

#### 10.1 Reactivity:

No reactivity under normal temperature.

#### **10.2 Chemical stability:**

Stable under normal temperature.

#### 10.3 Possibility of hazardous reactions:

Not expected.

#### **10.4 Conditions to avoid:**

Elevated temperatures/heat, UV light, when not in use.

#### **10.5 Incompatible materials:**

Avoid contact with acids, amines, free radical initiators, oxidizing agents.

#### 10.6 Hazardous decomposition products:

Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors.

#### **11.** Toxicological information

## 11.1. Information on toxicological effects

#### Acute toxicity:

gamma-butyrolactone LD50(oral) : 1582.0 mg/kg, LD50 (dermal): no data available, LD50 (Inhal.): 5.1 mg/kg

#### Serious eye damage/eye irritation:

Causes serious eye damage.

- gamma-butyrolactone
- Triethylene glycol monobutyl ether

#### Skin corrosion/irritation:

Causes skin irritation.

• Diethylene glycol diethyl ether

#### Respiratory or skin sensitisation:

no data available.

#### Germ cell mutagenicity:

no data available.



#### TrueVIS Element Ink, TE2-7LM

#### **Reproductive toxicity:**

no data available.

## **Carcinogenicity:**

None of the ingredients in this ink is listed by IARC as a carcinogen. (1, 2A and 2B)

#### Specific target organ toxicity - single exposure, (STOT-SE):

May cause drowsiness or dizziness. • gamma-butyrolactone

#### Specific target organ toxicity - repeat exposure, (STOT-RE):

no data available.

#### Aspiration hazard:

no data available.

## 12. Ecological information

12.1. Toxicity: No data available.

## 12.2. Persistence and degradability:

No data available

## 12.3. Bioaccumulative potential:

No data available

#### 12.4. Mobility in soil:

No data available

#### 12.5. Results of PBT and vPvB assessment:

Has not carried out PBT and vPvB assessment.

## 12.6. Other adverse effects:

No data available

## 13. Disposal considerations

#### 13.1. Waste treatment methods

Product:	Dispose as hazardous waste. Packaging with product residues must be disposed of
	under the same conditions as the product itself.

Recommended waste code: 08 03 12\* (waste ink containing dangerous substances)

Uncleaned packaging: 15 01 10\* (packaging, the residues of dangerous substances or hazardous waste

## **Roland DG Corporation**

2020/02/03



contain or are contaminated by dangerous substances or special wastes)

Recommendation: Uncontaminated packaging can be recycled. Non-cleanable packaging must be disposed of in the same way as the substance.

## 14. Transport information

## **14.1 UN Class/UN Number** ADR/ADG/DOT, IMDG, or IATA : Not regulated

**14.2 UN proper shipping name** ADR/ADG/DOT, IMDG, or IATA : Not regulated

## 14.3 Transport hazard class(es)

ADR/ADG/DOT, IMDG, or IATA: Not regulated

14.4 Packing group

ADR/ADG/DOT, IMDG, or IATA : Not regulated

## 14.5 Environmental hazards

ADR/ADG/DOT, IMDG, or IATA: Not regulated

## 14.6. Special precautions for user

ADR/ADG/DOT, IMDG, or IATA: Transport and storage of the product in accordance with general precautions and instructions mentioned in this SDS.

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and IBC code: Not regulated

## 15. Regulatory information

EU Information: Chemical Safety Assessment according to (EC)1907/2006 This product has not carried out any Chemical Safety Assessment yet.

#### Australia Information:

Hazardous statement: Not classified as hazardous according to NOHSC criteria.

### Canadian Information:

Canadian Ingredient Disclosure list (limit 0.1%) None of the ingredients are listed. Canadian Ingredient Disclosure list (limit 1%) Diethylene glycol diethyl ether Triethylene glycol monobutyl ether

International Information:

None of the ingredients in this ink is listed by IARC as a carcinogen. (1, 2A and 2B



Version G\_2.0 2020/02/03

## 16. Other information

List of relevant H-Statements:

- (Reference for Section 3. "Composition/information on ingredients")
- H302: Harmful if swallowed.
- -H315: Causes skin irritation.
- H318: Causes serious eye damage.
- H336: May cause drowsiness or dizziness.

The information in this Safety Data Sheet (SDS) is believed to be correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is subject to revision as additional knowledge and experience is gained. Roland DG does not warrant the completeness or accuracy of the information contained herein.



**Roland DG Corporation** 



2020/02/03

# Safety Data Sheet

## 1. Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

TrueVIS Element Ink, TE2-7LK

**1.2. Relevant identified uses of the substance or mixture and uses advised against** Inkjet Printing

## 1.3. Details of the supplier of the safety data sheet

Manufacture's name: Roland DG Corporation Address: 1-6-4 Shinmiyakoda, Kita-ku, Hamamatsu-shi, Shizuoka-ken, 431-2103 Phone: + 81-53-484-1224 FAX: + 81-53-484-1226

E-mail: Revised date: 3-Feb-2020

## 1.4. Emergency telephone:

## 2. Hazard identification

## 2.1. Classification of the substance or mixture

This product is classified as hazardous according to GHS.

Flammable liquids	Category 4
Acute toxicity (oral)	Category 5
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

## 2.2. GHS label elements, including precautionary statements

#### Pictgram(s)



Signal Word:

#### Dang

#### **Hazard Statement:**

Combustible liquid. May be harmful if swallowed. Causes skin irritation. Causes serious eye damage.

**Roland DG Corporation** 



#### **Precautionary statements** — **Prevention:**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear protective gloves/protective clothing/eye protection/face protection.

#### Precautionary statements — Response:

IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTRE/doctor if you feel unwell.

#### **Precautionary statements** — Storage:

Store in a well-ventilated place. Keep cool.

#### 2.3. Other hazards

Potential Health Effects: Eyes: Causes severe eye injury which may persist for several days. Skin: Contact with skin may cause irritation, swelling or redness, allergic sensitization. Inhalation: Exposure to vapors (mist) will cause respiratory irritation and anesthesia. Ingestion: May cause injury of mouth, throat, and stomach. Chronic Health Hazards: Repeated skin contact may cause a persistent irritation or dermatitis. Carcinogenicity: This product contains Carbon black.IARC evaluated printing ink as a Group 3.(IARC Group 3: Not classifiable as to carcinogenicity to humans) Others: No information.

## 3. Composition/information on ingredients

Chemical nature: mixture

Composition	CAS No.	% By Weight	GHS Classification
Carbon black	1333-86-4	0-1	Not classified as hazardous
Diethylene glycol diethyl ether	112-36-7	55-65	Skin Irrit. 2: H315
gamma-butyrolactone	96-48-0	<20	Acute Tox. 4: H302 Eye Damage 1: H318 STOT Single Exp. 3: H336
Dialkylene glycol dialkyl ether	CBI	10-20	Not classified as hazardous
Triethylene glycol monobutyl ether	143-22-6	1-10	Eye Dam. 1: H318
Synthetic resins	CBI	1-10	Not classified as hazardous

† CBI: Confidential Business Information

For the full text of the H-Statements mentioned in this Section, see Section 16. İ

## 4. First aid measures

Version G\_2.0

2020/02/03



#### 4.1. Description of first aid measures

Eyes:	In case of contact, immediately flush eyes with plenty of water for several minutes. Hold eyelids open
	during flushing. Call a physician.
Skin:	In case of contact, immediately flush with plenty of water while removing contaminated clothing and
	shoes. Wash contaminated clothing before reuse. If swelling or redness occurs, call a physician.
Inhalation:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give
	oxygen. Call a physician.
Ingestion:	If swallowed, DO NOT induce vomiting. Seek immediate medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

Eyes:	Causes severe eye injury which may persist for several days.
Skin:	Contact with skin may cause irritation, swelling or redness, allergic sensitization.
Inhalation:	Exposure to vapors (mist) will cause respiratory irritation and anesthesia.
Ingestion:	May cause injury of mouth, throat, and stomach.

#### 4.3. Indication of any immediate medical attention and special treatment needed

no information

## 5. Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media:

Dry chemical, Foam, Carbon dioxide, Dry sand, Loaded stream in spray.

Unsuitable extinguishing media:

Water, High-pressure water jet.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products: Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors. Flash Point: > 71deg.C

#### 5.3. Advice for firefighters

Wear special chemical protective clothing and positive pressure self-contained breathing apparatus (SCBA). Approach fire from upwind to avoid hazardous vapors and toxic decomposition products. Decontaminate or discard any clothing that may contain chemical residues. Applying direct water may be dangerous because fire may expand to surroundings.

## 6. Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus and wear appropriate personal protective equipment.

## **6.2.** Environmental precautions

Wipe off spillage. Prevent liquid from entering sewers, waterways or low areas.



6.3. Methods and material for containment and cleaning up

Sweep up material and dispose as waste following local regulations.

#### 6.4. Reference to other sections

Refer to "Section 8 Exposure controls/ personal protection" and "Section 13 Disposal consideration" as appropriate.

#### 7. Handling and storage

## 7.1 Precautions for safe handling

Avoid contact with eyes, skin and clothing. Use proper ventilation and no fire in work place. Put protection wear that has electrical conductivity in case of work. Keep out of reach of children and do not drink.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Do not store the product in high or freezing temperatures. Keep the product out of direct sunlight. Do not store the product with metals, amines, free radical initiators, oxidising agents.

7.3 Specific end use(s): Inkjet Printing

#### 8. Exposure controls/ personal protection

#### 8.1. Control parameters

Occupational Exposure Limits: Derived No-Effect Level (DNEL)

— Carbon black:

[Long term exposure] 2 mg/m<sup>3</sup>

[Short term exposure] no data available

- Diethylene glycol diethyl ether:

[Long term exposure] 50.05 mg/m<sup>3</sup>

[Short term exposure] no hazard identified

- gamma-butyrolactone:

[Long term exposure] 130 mg/m<sup>3</sup>

[Short term exposure] 958 mg/m<sup>3</sup>

- Triethylene glycol monobutyl ether:

[Long term exposure] 195 mg/m<sup>3</sup>

[Short term exposure] no hazard identified

## 8.2. Exposure controls

Appropriate engineering controls

Provide general and/or local exhaust ventilation.

#### Respiratory protection:

In case ventilation is insufficient, employee must use NIOSH approved air purifying respiratory equipment. Use a half facepiece respirator (with goggles) or full face-piece respirator (without goggles) filtered with organic vapor cartridge.For emergency and other conditions where the exposure guideline may be

Version G\_2.0 2020/02/03



## TrueVIS Element Ink, TE2-7LK

2020/02/03

exceeded, use an approved positive-pressure self-contained breathing apparatus or positive-pressure airline with auxiliary self contained air supply. WARNING: Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.

#### Hand protection:

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, use protective gloves. Recommended impervious gloves is butyl rubber glove.

## Eye protection:

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear safety glasses or chemical splash goggles.

## Skin protection:

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear protective clothing.

## Hygiene measures:

Wash hands after handling. In case contact with clothing, wash before reuse.Do not eat, drink or smoke in handling or storage area.

## Environmental exposure control:

Avoid release to the environment.

## 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

1 0 1	1
Appearance:	Black Liquid
Odour:	Slightly odour
Odour threshold:	Not defined
pH:	Not applicable
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point:	> 71deg.C
Evaporation rate:	No data available
Flammability (solid, gas)	Not applicable
Upper/lower flammability or explosive limits:	No data available
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	No data available
Solubility(ies):	soluble
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	
	No data available
Viscosity:	No data available No data available



TrueVIS Element Ink, TE2-7LK

Explosive properties: No data available Oxidizing properties: No data available Volatile organic compounds (VOC) content: 950 grams / L

#### 9.2 Other information

No information.

## 10. Stability and reactivity

#### 10.1 Reactivity:

No reactivity under normal temperature.

#### 10.2 Chemical stability:

Stable under normal temperature.

#### 10.3 Possibility of hazardous reactions:

Not expected.

## 10.4 Conditions to avoid:

Elevated temperatures/heat, UV light, when not in use.

#### **10.5 Incompatible materials:**

Avoid contact with acids, amines, free radical initiators, oxidizing agents.

#### 10.6 Hazardous decomposition products:

Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors.

## **11. Toxicological information**

#### 11.1. Information on toxicological effects

#### Acute toxicity:

gamma-butyrolactone

LD50(oral): 1582.0 mg/kg, LD50 (dermal): no data available, LD50 (Inhal.): 5.1 mg/kg

#### Serious eye damage/eye irritation:

Causes serious eye damage.

- gamma-butyrolactone
- Triethylene glycol monobutyl ether

#### Skin corrosion/irritation:

Causes skin irritation.

• Diethylene glycol diethyl ether

#### **Respiratory or skin sensitisation:**

**Roland DG Corporation** 

2020/02/03



no data available.

#### Germ cell mutagenicity:

no data available.

## **Reproductive toxicity:**

no data available.

## Carcinogenicity:

This product contains Carbon black. IARC evaluated printing ink as a Group 3. (IARC Group 3: Not classifiable as to carcinogenicity to humans)

#### Specific target organ toxicity - single exposure, (STOT-SE):

May cause drowsiness or dizziness.

• gamma-butyrolactone

## Specific target organ toxicity - repeat exposure, (STOT-RE):

no data available.

#### **Aspiration hazard:**

no data available.

#### 12. Ecological information

**12.1. Toxicity:** No data available.

#### 12.2. Persistence and degradability:

No data available

#### 12.3. Bioaccumulative potential:

No data available

#### 12.4. Mobility in soil:

No data available

## 12.5. Results of PBT and vPvB assessment:

Has not carried out PBT and vPvB assessment.

#### 12.6. Other adverse effects:

No data available

## 13. Disposal considerations

#### 13.1. Waste treatment methods



2020/02/03
------------

	TrueVIS Element Ink, TE2-7LK	2020/0
Product:	Dispose as hazardous waste. Packaging with product residues must be disposed under the same conditions as the product itself.	l of
Recommended waste code:	08 03 12* (waste ink containing dangerous substances)	
Uncleaned packaging:	15 01 10* (packaging, the residues of dangerous substances or hazardous waster contain or are contaminated by dangerous substances or special wastes)	2
Recommendation:	Uncontaminated packaging can be recycled. Non-cleanable packaging must be disposed of in the same way as the substance.	
14. Transport information	1	
14.1 UN Class/UN Number ADR/ADG/DOT, IMDG, or	IATA: Not regulated	

**14.2 UN proper shipping name** ADR/ADG/DOT, IMDG, or IATA : Not regulated

14.3 Transport hazard class(es)

ADR/ADG/DOT, IMDG, or IATA: Not regulated

**14.4 Packing group** ADR/ADG/DOT, IMDG, or IATA : Not regulated

**14.5 Environmental hazards** ADR/ADG/DOT, IMDG, or IATA : Not regulated

## 14.6. Special precautions for user

ADR/ADG/DOT, IMDG, or IATA : Transport and storage of the product in accordance with general precautions and instructions mentioned in this SDS.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and IBC code: Not regulated

## 15. Regulatory information

EU Information: Chemical Safety Assessment according to (EC)1907/2006 This product has not carried out any Chemical Safety Assessment yet.

Australia Information:

Hazardous statement: Not classified as hazardous according to NOHSC criteria.

Canadian Information:

Canadian Ingredient Disclosure list (limit 0.1%)



TrueVIS Element Ink, TE2-7LK

None of the ingredients are listed.

Canadian Ingredient Disclosure list (limit 1%) Diethylene glycol diethyl ether Carbon black

Triethylene glycol monobutyl ether

International Information:

This product contains Carbon black.

IARC evaluated printing ink as a Group 3.

(IARC Group 3: Not classifiable as to carcinogenicity to humans)

## 16. Other information

List of relevant H-Statements:

(Reference for Section 3. "Composition/information on ingredients")

- H302: Harmful if swallowed.
- -H315: Causes skin irritation.
- H318: Causes serious eye damage.
- H336: May cause drowsiness or dizziness.

The information in this Safety Data Sheet (SDS) is believed to be correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is subject to revision as additional knowledge and experience is gained. Roland DG does not warrant the completeness or accuracy of the information contained herein.



**Roland DG Corporation** 

Version G

2020/02/03



2020/02/03

# Safety Data Sheet

## 1. Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

TrueVIS Element Ink, TE2-7OR

**1.2. Relevant identified uses of the substance or mixture and uses advised against** Inkjet Printing

## 1.3. Details of the supplier of the safety data sheet

Manufacture's name: Roland DG Corporation Address: 1-6-4 Shinmiyakoda, Kita-ku, Hamamatsu-shi, Shizuoka-ken, 431-2103 Phone: + 81-53-484-1224 FAX: + 81-53-484-1226

E-mail: Revised date: 3-Feb-2020

## 1.4. Emergency telephone:

## 2. Hazard identification

## 2.1. Classification of the substance or mixture

This product is classified as hazardous according to GHS.

Flammable liquids	Category 4
Acute toxicity (oral)	Category 5
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

## 2.2. GHS label elements, including precautionary statements

#### Pictgram(s)



Signal Word:

#### Dange

#### Hazard Statement:

Combustible liquid. May be harmful if swallowed. Causes skin irritation. Causes serious eye damage.

**Roland DG Corporation** 



#### **Precautionary statements** — **Prevention:**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear protective gloves/protective clothing/eye protection/face protection.

#### Precautionary statements — Response:

IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTRE/doctor if you feel unwell.

#### **Precautionary statements — Storage:**

Store in a well-ventilated place. Keep cool.

#### 2.3. Other hazards

Potential Health Effects:

Eyes:	Causes severe eye injury which may persist for several days.
Skin:	Contact with skin may cause irritation, swelling or redness, allergic sensitization.
Inhalation:	Exposure to vapors (mist) will cause respiratory irritation and anesthesia.
Ingestion:	May cause injury of mouth, throat, and stomach.
Chronic Health Hazards:	Repeated skin contact may cause a persistent irritation or dermatitis.
Carcinogenicity:	None of the ingredients in this ink is listed by IARC as a carcinogen. (1, 2A and 2B)
Others:	No information.

## 3. Composition/information on ingredients

#### Chemical nature: mixture

Composition	CAS No.	% By Weight	GHS Classification
Colorant	CBI	1-5	Not classified as hazardous
Diethylene glycol diethyl ether	112-36-7	55-65	Skin Irrit. 2: H315
gamma-butyrolactone	96-48-0	10-20	Acute Tox. 4: H302 Eye Damage 1: H318 STOT Single Exp. 3: H336
Dialkylene glycol dialkyl ether	CBI	10-20	Not classified as hazardous
Triethylene glycol monobutyl ether	143-22-6	1-10	Eye Dam. 1: H318
Synthetic resins	CBI	1-10	Not classified as hazardous

† CBI: Confidential Business Information

 $\ddagger$  For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. First aid measures

4.1. Description of first aid measures



TrueVIS Element Ink, TE2-7OR

Eyes:	In case of contact, immediately flush eyes with plenty of water for several minutes. Hold eyelids open
	during flushing. Call a physician.
Skin:	In case of contact, immediately flush with plenty of water while removing contaminated clothing and
	shoes. Wash contaminated clothing before reuse. If swelling or redness occurs, call a physician.
Inhalation:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give
	oxygen. Call a physician.
Ingestion:	If swallowed, DO NOT induce vomiting. Seek immediate medical advice.

## 4.2. Most important symptoms and effects, both acute and delayed

Eyes:	Causes severe eye injury which may persist for several days.
Skin:	Contact with skin may cause irritation, swelling or redness, allergic sensitization.
Inhalation:	Exposure to vapors (mist) will cause respiratory irritation and anesthesia.
Ingestion:	May cause injury of mouth, throat, and stomach.

## 4.3. Indication of any immediate medical attention and special treatment needed

no information

## 5. Firefighting measures

## 5.1. Extinguishing media

Suitable extinguishing media:

Dry chemical, Foam, Carbon dioxide, Dry sand, Loaded stream in spray.

Unsuitable extinguishing media:

Water, High-pressure water jet.

## 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products: Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors. Flash Point: > 71deg.C

## 5.3. Advice for firefighters

Wear special chemical protective clothing and positive pressure self-contained breathing apparatus (SCBA). Approach fire from upwind to avoid hazardous vapors and toxic decomposition products. Decontaminate or discard any clothing that may contain chemical residues. Applying direct water may be dangerous because fire may expand to surroundings.

## 6. Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus and wear appropriate personal protective equipment.

## 6.2. Environmental precautions

Wipe off spillage. Prevent liquid from entering sewers, waterways or low areas.



## 6.3. Methods and material for containment and cleaning up

Sweep up material and dispose as waste following local regulations.

#### 6.4. Reference to other sections

Refer to "Section 8 Exposure controls/ personal protection" and "Section 13 Disposal consideration" as appropriate.

## 7. Handling and storage

#### 7.1 Precautions for safe handling

Avoid contact with eyes, skin and clothing. Use proper ventilation and no fire in work place. Put protection wear that has electrical conductivity in case of work. Keep out of reach of children and do not drink.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Do not store the product in high or freezing temperatures. Keep the product out of direct sunlight. Do not store the product with metals, amines, free radical initiators, oxidising agents.

7.3 Specific end use(s): Inkjet Printing

#### 8. Exposure controls/ personal protection

#### 8.1. Control parameters

Occupational Exposure Limits:

Derived No-Effect Level (DNEL)

Diethylene glycol diethyl ether:

[Long term exposure] 50.05 mg/m<sup>3</sup>

[Short term exposure] no hazard identified

- gamma-butyrolactone:

[Long term exposure] 130 mg/m<sup>3</sup>

[Short term exposure] 958 mg/m<sup>3</sup>

- Triethylene glycol monobutyl ether:

[Long term exposure] 195 mg/m<sup>3</sup>

[Short term exposure] no hazard identified

#### 8.2. Exposure controls

Appropriate engineering controls Provide general and/or local exhaust ventilation.

#### Respiratory protection:

In case ventilation is insufficient, employee must use NIOSH approved air purifying respiratory equipment. Use a half facepiece respirator (with goggles) or full face-piece respirator (without goggles) filtered with organic vapor cartridge.For emergency and other conditions where the exposure guideline may be exceeded, use an approved positive-pressure self-contained breathing apparatus or positive-pressure airline with auxiliary self contained air supply. WARNING: Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.



Version G\_2.0 2020/02/03

#### Hand protection:

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, use protective gloves. Recommended impervious gloves is butyl rubber glove.

#### Eye protection:

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear safety glasses or chemical splash goggles.

#### Skin protection:

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear protective clothing.

#### Hygiene measures:

Wash hands after handling. In case contact with clothing, wash before reuse.Do not eat, drink or smoke in handling or storage area.

#### Environmental exposure control:

Avoid release to the environment.

## 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance:	Orange Liquid
Odour:	Slightly odour
Odour threshold:	Not defined
pH:	Not applicable
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point:	>71deg.C
Evaporation rate:	No data available
Flammability (solid, gas)	Not applicable
Upper/lower flammability or explosive limits:	No data available
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	No data available
Solubility(ies):	soluble
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity:	No data available
Explosive properties:	No data available
Oxidizing properties:	No data available
Volatile organic compounds (VOC) content:	950 grams / L



9.2 Other information

No information.

## 10. Stability and reactivity

#### 10.1 Reactivity:

No reactivity under normal temperature.

#### **10.2** Chemical stability:

Stable under normal temperature.

## 10.3 Possibility of hazardous reactions:

Not expected.

#### **10.4 Conditions to avoid:**

Elevated temperatures/heat, UV light, when not in use.

#### **10.5 Incompatible materials:**

Avoid contact with acids, amines, free radical initiators, oxidizing agents.

#### 10.6 Hazardous decomposition products:

Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors.

## 11. Toxicological information

#### 11.1. Information on toxicological effects

## Acute toxicity:

gamma-butyrolactone

LD50(oral): 1582.0 mg/kg, LD50 (dermal): no data available, LD50 (Inhal.): 5.1 mg/kg

## Serious eye damage/eye irritation:

Causes serious eye damage.

- gamma-butyrolactone
- Triethylene glycol monobutyl ether

#### Skin corrosion/irritation:

Causes skin irritation.

• Diethylene glycol diethyl ether

#### Respiratory or skin sensitisation:

no data available.

#### Germ cell mutagenicity:

no data available.



Version G\_2.0 2020/02/03

#### **Reproductive toxicity:**

no data available.

#### **Carcinogenicity:**

None of the ingredients in this ink is listed by IARC as a carcinogen. (1, 2A and 2B)

#### Specific target organ toxicity - single exposure, (STOT-SE):

May cause drowsiness or dizziness. • gamma-butyrolactone

#### Specific target organ toxicity - repeat exposure, (STOT-RE):

no data available.

#### **Aspiration hazard:**

no data available.

## 12. Ecological information

**12.1. Toxicity:** No data available.

#### 12.2. Persistence and degradability:

No data available

#### 12.3. Bioaccumulative potential:

No data available

#### 12.4. Mobility in soil:

No data available

## 12.5. Results of PBT and vPvB assessment:

Has not carried out PBT and vPvB assessment.

## 12.6. Other adverse effects:

No data available

## 13. Disposal considerations

#### 13.1. Waste treatment methods

Product:Dispose as hazardous waste. Packaging with product residues must be disposed of<br/>under the same conditions as the product itself.

Recommended waste code: 08 03 12\* (waste ink containing dangerous substances)

Uncleaned packaging: 15 01 10\* (packaging, the residues of dangerous substances or hazardous waste



contain or are contaminated by dangerous substances or special wastes)

Recommendation: Uncontaminated packaging can be recycled. Non-cleanable packaging must be disposed of in the same way as the substance.

## 14. Transport information

## 14.1 UN Class/UN Number

ADR/ADG/DOT, IMDG, or IATA: Not regulated

**14.2 UN proper shipping name** ADR/ADG/DOT, IMDG, or IATA : Not regulated

## 14.3 Transport hazard class(es)

ADR/ADG/DOT, IMDG, or IATA: Not regulated

**14.4 Packing group** ADR/ADG/DOT, IMDG, or IATA : Not regulated

## 14.5 Environmental hazards

ADR/ADG/DOT, IMDG, or IATA: Not regulated

## 14.6. Special precautions for user

ADR/ADG/DOT, IMDG, or IATA: Transport and storage of the product in accordance with general precautions and instructions mentioned in this SDS.

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and IBC code: Not regulated

## 15. Regulatory information

EU Information: Chemical Safety Assessment according to (EC)1907/2006 This product has not carried out any Chemical Safety Assessment yet.

#### Australia Information:

Hazardous statement: Not classified as hazardous according to NOHSC criteria.

### Canadian Information:

Canadian Ingredient Disclosure list (limit 0.1%) None of the ingredients are listed. Canadian Ingredient Disclosure list (limit 1%) Diethylene glycol diethyl ether Triethylene glycol monobutyl ether

International Information:

None of the ingredients in this ink is listed by IARC as a carcinogen. (1, 2A and 2B



Version G\_2.0 2020/02/03

## 16. Other information

List of relevant H-Statements:

- (Reference for Section 3. "Composition/information on ingredients")
- H302: Harmful if swallowed.
- H315: Causes skin irritation.
- H318: Causes serious eye damage.
- H336: May cause drowsiness or dizziness.

The information in this Safety Data Sheet (SDS) is believed to be correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is subject to revision as additional knowledge and experience is gained. Roland DG does not warrant the completeness or accuracy of the information contained herein.



**Roland DG Corporation**