

Digital Monomeric Overview JT and LF 8000 Series

Flat but never boring!





Digital Monomeric Overview JT and LF 8000 Series

JT and LF 8000 Series films bring together a variety of options for outdoor and indoor decoration of flat surfaces for short and medium-term applications.



JT and LF 8700 Series



How do we read the letters?

The first two letters show face film information:

WGWhite GlossCGClear GlossWMWhite MattCMClear MattWTWhite TranslucentCSClear Satin

The second set of letters shows adhesive information:

PT Permanent Transparent RG Removable Grey
RT Removable Transparent BT Bubble Free Transparent
SPB Semi-permanent Black
PG Permanent Grey
UV UV compatible

JT and LF 8700 Series Premium Monomeric Films

Ideal for short to medium term application on flat surfaces. Wide offer of widths and adhesive technologies. Also available on 100 and 200m rolls.

Adhesive: solvent acrylic based, in grey and transparent

Liner: Kraft

Durability: unprinted = 4 years; printed = 3 years

Printable Media

| | Product | JT 8700 WG-PG | JT 8700 WG-RG | JT 8700 WG-BFG | JT 8700 WM-PG | JT 8700 WM-RG | JT 8700 CG-RT | JT 8700 WT-PT |
|----------|----------|-------------------|-------------------|---------------------|-------------------|-------------------|--------------------------|--------------------------|
| W W | Finish | White Gloss | White Gloss | White Gloss | White Matt | White Matt | Clear Gloss | White Translucent |
| @ | Adhesive | Permanent Grey | Removable Grey | Bubble-free Grey | Permanent Grey | Removable Grey | Removable Transparent | Permanent Transparent |

| | | dicy | dicy | dicy | dicy | dicy | панэрагене | папър |
|----------|-----------|--------------------------|--------------------------|--------------------------|------|------|------------|-------|
| Lamin | ating Fil | ms | | | | | | |
| | Product | LF 8700 CG-UV | LF 8700 CM-UV | LF 8700 CS-UV | | | | |
| W. | Finish | Clear Gloss | Clear Matt | Clear Satin | | | | |
| (| Adhesive | Permanent Transparent | Permanent Transparent | Permanent Transparent | | | | |
| | | | | | | | | |

JT and LF 8500 Series Monomeric Films

Ideal for short term application on flat surfaces. Wide offer of adhesives and widths. Also available on 100 and 200m rolls.

Adhesive: Water acrylic based, in grey, black and transparent

Liner: Kraft

Durability: unprinted = 3 years; printed = 2 years

Printable Media

| Product | JT8500 WG-PT | JT8500 WG-PG | WG-RT | WG-RG | WG-SPB | JT 8500 WG-BFT |
|-------------------|--------------------------|--|--|---|---|---|
| Finish | White Gloss | White Gloss | White Gloss | White Gloss | White Gloss | White Gloss |
| Adhesive | Permanent Transparent | Permanent Grey | Removable Transparent | Removable Grey | Semi-Permanent Black | Bubble Free Transparent |
| | | | | | | |
| Product | JT 8500 WM-PT | JT 8500 WM-PG | JT 8500 WM-RT | JT 8500 WM-RG | JT 8500 WM-HTT | JT 8500 CG-RT |
| Product Finish | | | | | | |
| | Finish | Finish White Gloss Adhesive Permanent | Finish White Gloss Gloss Adhesive Permanent Permanent | Product WG-PT WG-PG WG-RT Finish White Gloss White Gloss White Gloss Adhesive Permanent Permanent Removable | Product WG-PT WG-PG WG-RT WG-RG Finish White Gloss White Gloss White Gloss White Gloss Adhesive Permanent Permanent Removable Removable | Product WG-PT WG-PG WG-RT WG-RG WG-SPB Finish White Gloss White Gloss White Gloss White Gloss White Gloss Adhesive Permanent Permanent Removable Removable Semi-Permanent |

Laminating Films

| | Product | LF 8500 CG | LF 8500 CM |
|----------|----------|--------------------------|--------------------------|
| W. | Finish | Clear Gloss | Clear Matt |
| @ | Adhesive | Permanent Transparent | Permanent Transparent |

©2024 Avery Dennison Corporation. All rights reserved. Avery Dennison and all other Avery Dennison brands, this publication, its content, product names and codes are owned by Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. This publication must not be used, copied or reproduced in whole or in part for any purposes other than marketing by Avery Dennison.

All Mactac statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Mactac products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Mactac products are sold subject to Avery Dennison's general terms and conditions of sale, see http://terms.europe.averydennison.com





