

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 22-11-2013 Revision date: 23-1-2025 Supersedes version of: 29-9-2023 Version: 8.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

: UV INK LH-100 LIGHT CYAN Product name : SAJC-X0MW-F80G-2AJK UFI Product code : LH-100-LC-BA_LH-100-LC-B2

Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Professional use

| Title | Use descriptors |
|--------------------------|------------------|
| UV INK LH-100 LIGHT CYAN | SU0, PC18, PROC1 |

Full text of use descriptors: see section 16

1.3. Details of the supplier of the safety data sheet

Mimaki Europe B.V. Stammerdijk 7E 1112 AA Diemen Netherlands T +31 20 4627640

reach@mimakieurope.com

1.4. Emergency telephone number

Emergency number : National Poisons Information Centre +31 (0)30 - 274 8888

(Only for the purpose of informing medical personnel in cases of accidental intoxications.

The emergency phone number is 24 hours/day available.)

| Country/Area | Organisation/Company | Address | Emergency number | Comment |
|----------------|--|--------------------------|------------------|---------|
| United Kingdom | Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust | Avonley Road SE14 5ER | +44 20 7188 7188 | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1, Sub-Category 1C H314 Serious eye damage/eye irritation, Category 1 H318 Skin sensitisation, Category 1 H317 Carcinogenicity, Category 2 H351 Reproductive toxicity, Category 1B H360 Specific target organ toxicity - Repeated exposure, Category 2 H373 Hazardous to the aquatic environment – Acute Hazard, H400 Category 1

Hazardous to the aquatic environment - Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Suspected of causing cancer. May damage fertility or the unborn child. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

23-1-2025 (Revision date) EN (English) 1/23

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)









Signal word (CLP) : Danger

Contains

Hexamethylene diacrylate;4-hydroxy-2,2,6,6-tetramethylpiperidinoxyl ;tetrahydrofurfuryl acrylate;pentaerythritol triacrylate;2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one;diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide ;2-ethyl-2-[[(1-oxoallyl) oxy] methyl]-1,3-propanediyl diacrylate; 2,2-bis (acryloyloxymethyl)butyl acrylate; trimethylolpropane

Hazard statements (CLP)

: H314 - Causes severe skin burns and eye damage. H317 - May cause an allergic skin reaction.

H351 - Suspected of causing cancer.

H360 - May damage fertility or the unborn child.

H373 - May cause damage to organs through prolonged or repeated exposure.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

: P201 - Obtain special instructions before use.

P280 - Wear protective gloves, protective clothing, eye protection, face protection. P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor. P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER or doctor.

P308+P313 - IF exposed or concerned: Get medical advice/attention.

P391 - Collect spillage.

EUH-statements : EUH071 - Corrosive to the respiratory tract.

Extra phrases : Restricted to professional users.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

| | Component | |
|-----|---|---|
| - 1 | Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII | 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one (71868-10-5), diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (75980-60-8) |
| - 1 | Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII | 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one (71868-10-5), diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (75980-60-8) |

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component

Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (75980-60-8), 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one (71868-10-5)

23-1-2025 (Revision date) EN (English) 2/23

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| Name | Product identifier | % w/w (% w/w) | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|--|------------------|---|
| Hexamethylene diacrylate (Note D) | CAS-No.: 13048-33-4 EC-No.: 235-921-9 EC Index-No.: 607-109-00-8 REACH-no: 01-2119484737- 22 | 30 – 50 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 |
| tetrahydrofurfuryl acrylate | CAS-No.: 2399-48-6 EC-No.: 219-268-7 REACH-no: 01-2120738396- 46 | 20 – 30 | Acute Tox. 4 (Oral), H302 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1B, H317 Repr. 1B, H360Df STOT RE 2, H373 Aquatic Chronic 2, H411 |
| pentaerythritol triacrylate (Note D) | CAS-No.: 3524-68-3 EC-No.: 222-540-8 EC Index-No.: 607-110-00-3 | 10 – 20 | Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1, H317 |
| 2-[[3-[(1-oxoallyl)oxy]-2,2-bis[[(1-oxoallyl)oxy]methyl]propoxy]methyl]-2-[[(1-oxoallyl)oxy]methyl]-1,3-propanediyl diacrylate | CAS-No.: 29570-58-9 EC-No.: 249-698-0 | 10 – 20 | Eye Irrit. 2, H319 |
| 2-ethyl-2-[[(1-oxoallyl) oxy] methyl]-1,3-propanediyl diacrylate; 2,2-bis (acryloyloxymethyl)butyl acrylate; trimethylolpropane triacrylate (Note D) | CAS-No.: 15625-89-5 EC-No.: 239-701-3 EC Index-No.: 607-111-00-9 REACH-no: 01-2119489896- 11 | 5 – 10 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Carc. 2, H351 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide substance listed on REACH Candidate List | CAS-No.: 75980-60-8 EC-No.: 278-355-8 EC Index-No.: 015-203-00-X REACH-no: 01-2119972295- | 0 - 5 | Skin Sens. 1B, H317 Repr. 1B, H360Fd |
| 4-hydroxy-2,2,6,6-tetramethylpiperidinoxyl | CAS-No.: 2226-96-2 EC-No.: 218-760-9 REACH-no: 01-2119968566- 20 | 1 – 5 | Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 STOT RE 2, H373 |
| 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan- 1-one substance listed on REACH Candidate List | CAS-No.: 71868-10-5 EC-No.: 400-600-6 EC Index-No.: 606-041-00-6 REACH-no: 01-2119900396- | 1 – 5 | Repr. 1B, H360FD Acute Tox. 4 (Oral), H302 Aquatic Chronic 2, H411 |
| 2-isopropyl-9H-thioxanthen-9-one | CAS-No.: 5495-84-1 REACH-no: 01-2120769513- 49 | 1 – 5 | Repr. 2, H361 Aquatic Acute 1, H400 |

Note D:

Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words 'non-stabilised'.

Full text of H- and EUH-statements: see section 16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Consult a doctor/medical

service if you feel unwell.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Water spray. Carbon dioxide.

Unsuitable extinguishing media : Heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon monoxide. Carbon dioxide.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

Other information : Inhalation of vapour can cause breathing difficulties.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Provide local exhaust or general room ventilation to minimize dust and/or vapour

concentrations. Use care in walking on spilled material.

For non-emergency personnel

Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene. Avoid

breathing dust/fume/gas/mist/vapours/spray.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Keep public away from danger area.

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

23-1-2025 (Revision date) EN (English) 4/23

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Methods for cleaning up : Take up liquid spill into absorbent material. Use suitable disposal containers. Label the

container and provide warning statements to prevent any contact. This material and its container must be disposed of in a safe way, and as per local legislation. Notify authorities if

product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

: Minimize exposure to air and light.

Precautions for safe handling

: Ensure good ventilation of the work station. Obtain special instructions before use. Do not

handle until all safety precautions have been read and understood. Wear personal

protective equipment. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

Hygiene measures

Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

Use only in well ventilated areas.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL and PNEC

| Hexamethylene diacrylate (13048-33-4) | | | |
|--|--------------------------------|--|--|
| DNEL/DMEL (Workers) | | | |
| Long-term - systemic effects, dermal | 2,77 mg/kg bodyweight/day | | |
| Long-term - systemic effects, inhalation | 24,48 mg/m³ | | |
| DNEL/DMEL (General population) | DNEL/DMEL (General population) | | |
| Long-term - systemic effects,oral | 2,08 mg/kg bodyweight/day | | |
| Long-term - systemic effects, inhalation | 7,24 mg/m³ | | |
| Long-term - systemic effects, dermal | 1,66 mg/kg bodyweight/day | | |
| PNEC (Water) | | | |
| PNEC aqua (freshwater) | 0,0015 mg/l | | |
| PNEC aqua (marine water) | 0,00015 mg/l | | |
| PNEC (Sediment) | | | |
| PNEC sediment (freshwater) | 0,0243 mg/kg dwt | | |
| PNEC sediment (marine water) | 0,00243 mg/kg dwt | | |
| PNEC (Soil) | | | |
| PNEC soil | 0,00397 mg/kg dwt | | |

Safety Data Sheet

| Hexamethylene diacrylate (13048-33-4) | | |
|---|---------------------------|--|
| PNEC (STP) | | |
| PNEC sewage treatment plant | 2,7 mg/l | |
| 4-hydroxy-2,2,6,6-tetramethylpiperidinoxyl (2 | 2226-96-2) | |
| DNEL/DMEL (Workers) | | |
| Acute - systemic effects, dermal | 8 mg/kg bodyweight/day | |
| Long-term - systemic effects, dermal | 0,3 mg/kg bodyweight/day | |
| Long-term - systemic effects, inhalation | 1,2 mg/m³ | |
| DNEL/DMEL (General population) | | |
| Long-term - systemic effects,oral | 0,2 mg/kg bodyweight/day | |
| PNEC (Water) | | |
| PNEC aqua (freshwater) | 0,03 mg/l | |
| PNEC aqua (marine water) | 0,003 mg/l | |
| PNEC aqua (intermittent, freshwater) | 0,54 mg/l | |
| PNEC (Sediment) | | |
| PNEC sediment (freshwater) | 0,126 mg/kg dwt | |
| PNEC sediment (marine water) | 0,0169 mg/kg dwt | |
| PNEC (Soil) | | |
| PNEC soil | 0,031 mg/kg dwt | |
| PNEC (STP) | | |
| PNEC sewage treatment plant | 430 mg/l | |
| tetrahydrofurfuryl acrylate (2399-48-6) | | |
| DNEL/DMEL (Workers) | | |
| Long-term - systemic effects, dermal | 4,9 mg/kg bodyweight/day | |
| Long-term - systemic effects, inhalation | 1,73 mg/m³ | |
| DNEL/DMEL (General population) | | |
| Long-term - systemic effects,oral | 180 μg/kg dw | |
| Long-term - systemic effects, inhalation | 300 μg/m³ | |
| Long-term - systemic effects, dermal | 1,75 mg/kg bodyweight/day | |
| PNEC (Water) | | |
| PNEC aqua (freshwater) | 3,92 μg/L | |
| PNEC aqua (marine water) | 392 ng/l | |
| PNEC aqua (intermittent, freshwater) | 39,2 μg/L | |
| PNEC (Sediment) | | |
| PNEC sediment (freshwater) | 20,6 μg/kg | |
| PNEC sediment (marine water) | 2,1 μg/kg | |
| PNEC (Soil) | | |
| PNEC soil | 1,8 µg/kg | |

Safety Data Sheet

| tetrahydrofurfuryl acrylate (2399-48-6) | | | |
|--|----------------------------|--|--|
| PNEC (STP) | PNEC (STP) | | |
| PNEC sewage treatment plant | 2,637 mg/l | | |
| 2-methyl-1-(4-methylthiophenyl)-2-morpholine | opropan-1-one (71868-10-5) | | |
| DNEL/DMEL (Workers) | | | |
| Acute - systemic effects, dermal | 20 mg/kg bodyweight/day | | |
| Acute - systemic effects, inhalation | 5,38 mg/m³ | | |
| Long-term - systemic effects, dermal | 0,18 mg/kg bodyweight/day | | |
| Long-term - systemic effects, inhalation | 0,32 mg/m³ | | |
| DNEL/DMEL (General population) | | | |
| Acute - systemic effects, dermal | 20 mg/kg bodyweight | | |
| Long-term - systemic effects,oral | 0,05 mg/kg bodyweight/day | | |
| Long-term - systemic effects, inhalation | 0,16 mg/m³ | | |
| Long-term - systemic effects, dermal | 0,09 mg/kg bodyweight/day | | |
| PNEC (Water) | | | |
| PNEC aqua (freshwater) | 0,0012 mg/l | | |
| PNEC aqua (marine water) | 0,00012 mg/l | | |
| PNEC aqua (intermittent, freshwater) | 0,012 mg/l | | |
| PNEC (Sediment) | | | |
| PNEC sediment (freshwater) | 0,01736 mg/kg dwt | | |
| PNEC sediment (marine water) | 0,001736 mg/kg dwt | | |
| PNEC (Soil) | | | |
| PNEC soil | 0,081 mg/kg dwt | | |
| PNEC (Oral) | | | |
| PNEC oral (secondary poisoning) | 16,7 mg/kg food | | |
| PNEC (STP) | | | |
| PNEC sewage treatment plant | 1 mg/l | | |
| diphenyl(2,4,6-trimethylbenzoyl)phosphine ox | ride (75980-60-8) | | |
| DNEL/DMEL (Workers) | | | |
| Long-term - systemic effects, dermal | 0,233 mg/kg bodyweight/day | | |
| Long-term - systemic effects, inhalation | 0,822 mg/m³ | | |
| DNEL/DMEL (General population) | | | |
| Long-term - systemic effects,oral | 83,3 µg/kg bodyweight/day | | |
| Long-term - systemic effects, inhalation | 0,145 mg/m³ | | |
| Long-term - systemic effects, dermal | 83,3 µg/kg bodyweight/day | | |
| PNEC (Water) | | | |
| PNEC aqua (freshwater) | 1,4 µg/l | | |
| PNEC aqua (marine water) | 0,14 μg/l | | |
| PNEC aqua (intermittent, freshwater) | 14 μg/l | | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (75980-60-8) | |
|--|-----------------|
| PNEC aqua (intermittent, marine water) | 1,4 µg/l |
| PNEC (Sediment) | |
| PNEC sediment (freshwater) | 0,115 mg/kg dwt |
| PNEC sediment (marine water) | 11,5 μg/kg dw |
| PNEC (Soil) | |
| PNEC soil | 22,2 μg/kg dw |

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Local exhaust is needed at source of vapours. Keep away from heat. Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Gloves. Safety glasses. Protective clothing.

Personal protective equipment symbol(s):







Eye and face protection

Eye protection:

Chemical goggles or safety glasses (acc. EN 166)

| Eye protection | | | |
|----------------|----------------------|-----------------|----------|
| Туре | Field of application | Characteristics | Standard |
| | | | |

Skin protection

Skin and body protection:

Wear suitable protective clothing. Standard. EN 13034

Hand protection:

Wear suitable gloves resistant to chemical penetration. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Use barrier gloves. (0.062mm). Breakthrough time (EN 374-3:2003): > 480 min (www.echa.europa.eu)

| Hand protection | | | | | |
|-----------------|----------|------------|----------------|-------------|----------|
| Туре | Material | Permeation | Thickness (mm) | Penetration | Standard |
| | | | | | |

Respiratory protection

Respiratory protection:

Where excessive vapour may result, wear approved mask. Extra personal protection: A/P2 filter respirator for organic vapour and harmful dust

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke when using this product.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Light cyan. Odour characteristic. Not available Odour threshold Melting point Not applicable Freezing point Not available Boiling point Not available Flammability Non flammable. Lower explosion limit : Not available Upper explosion limit : Not available : 137 °C Flash point Auto-ignition temperature : Not available Decomposition temperature : Not available рΗ : Not available Viscosity, kinematic : 20,37 mm²/s Viscosity, dynamic : 22 mPa·s (25°C) Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available : Not available Vapour pressure Vapour pressure at 50°C : Not available Density : 1,08 Relative density : Not available Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

Other safety characteristics

VOC content : < 25 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

This material may attack some forms of plastics and rubbers. Hazardous polymerization may occur if exposure to fire conditions.

10.4. Conditions to avoid

Ignition sources. Moisture. Heat.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

At high temperature may liberate dangerous gases.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 11: Toxicological information

| 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 | | | |
|--|--|--|--|
| Acute toxicity (oral) | Not classified | | |
| Acute toxicity (oral) Acute toxicity (dermal) | | | |
| Acute toxicity (inhalation) | Not classified | | |
| Hexamethylene diacrylate (13048-33-4) | | | |
| LD50 oral rat | > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral | | |
| | Toxicity) | | |
| LD50 dermal rabbit | 3650 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) | | |
| 4-hydroxy-2,2,6,6-tetramethylpiperidinoxyl (| 2226-96-2) | | |
| LD50 oral rat | 1053 mg/kg | | |
| LD50 dermal rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity) | | |
| tetrahydrofurfuryl acrylate (2399-48-6) | | | |
| LD50 oral rat | 928 mg/kg bodyweight | | |
| 2-methyl-1-(4-methylthiophenyl)-2-morpholii | nopropan-1-one (71868-10-5) | | |
| LD50 oral rat | 1984 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) | | |
| LD50 dermal rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) | | |
| 29H,31H-phthalocyaninato(2-)-N29,N30,N31, | N32 copper (147-14-8) | | |
| LD50 oral rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) | | |
| LD50 dermal rat | > 5000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) | | |
| diphenyl(2,4,6-trimethylbenzoyl)phosphine of | oxide (75980-60-8) | | |
| LD50 oral rat | > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) | | |
| LD50 dermal rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity), Guideline: other: | | |
| 2-ethyl-2-[[(1-oxoallyl) oxy] methyl]-1,3-propanediyl diacrylate; 2,2-bis (acryloyloxymethyl)butyl acrylate; trimethylolpropane triacrylate (15625-89-5) | | | |
| LD50 oral rat | 5000 mg/kg | | |
| LD50 dermal rabbit | 4,7 ml/kg | | |
| LC50 Inhalation - Rat | 550 mg/m³ (6 h) | | |
| Skin corrosion/irritation Additional information | Causes skin irritation. On basis of test data not corrosive | | |
| diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (75980-60-8) | | | |
| рН | 4 – 7 | | |
| Serious eye damage/irritation | Causes serious eye damage. | | |

23-1-2025 (Revision date) EN (English) 10/23

Safety Data Sheet

| diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (75980-60-8) | | |
|--|---|--|
| рН | 4 – 7 | |
| Respiratory or skin sensitisation : | May cause an allergic skin reaction. | |
| rm cell mutagenicity : Not classified | | |
| Carcinogenicity : | Suspected of causing cancer. | |
| Reproductive toxicity : | May damage fertility or the unborn child. | |
| STOT-single exposure : | Not classified | |
| 4-hydroxy-2,2,6,6-tetramethylpiperidinoxyl (2 | 226-96-2) | |
| LOAEL (oral, rat) | 200 mg/kg bodyweight | |
| NOAEL (oral, rat) | 40 mg/kg bodyweight/day | |
| diphenyl(2,4,6-trimethylbenzoyl)phosphine o | xide (75980-60-8) | |
| LOAEL (oral, rat) | 250 – 300 mg/kg bodyweight | |
| NOAEL (oral, rat) | 50 – 100 mg/kg bodyweight/day | |
| STOT-repeated exposure : | May cause damage to organs through prolonged or repeated exposure. | |
| Hexamethylene diacrylate (13048-33-4) | | |
| NOAEL (oral, rat, 90 days) | 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) | |
| NOAEL (dermal, rat/rabbit, 90 days) | 20 – 200 mg/kg bodyweight/day | |
| 4-hydroxy-2,2,6,6-tetramethylpiperidinoxyl (2 | 226-96-2) | |
| LOAEL (oral, rat, 90 days) | 200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents), Guideline: other: "28-day Repeated Dose Toxicity Study in Mammalian Species" prescribed in "The Notification on Partial Revision of Testing Methods Relating to New Chemical Substances" (Notification No. 700 of Kanpogyo, No.1039 of Yakuhatsu, and No.1014 of 61 Kikyoku) | |
| NOAEL (oral, rat, 90 days) | 40 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents), Guideline: other: "28-day Repeated Dose Toxicity Study in Mammalian Species" prescribed in "The Notification on Partial Revision of Testing Methods Relating to New Chemical Substances" (Notification No. 700 of Kanpogyo, No.1039 of Yakuhatsu, and No.1014 of 61 Kikyoku) | |
| STOT-repeated exposure | May cause damage to organs (spleen) through prolonged or repeated exposure (if swallowed). | |
| tetrahydrofurfuryl acrylate (2399-48-6) | | |
| NOAEL (oral, rat, 90 days) | 35 mg/kg bodyweight/day | |
| STOT-repeated exposure | May cause damage to organs through prolonged or repeated exposure. | |
| 2-methyl-1-(4-methylthiophenyl)-2-morpholine | opropan-1-one (71868-10-5) | |
| NOAEL (oral, rat, 90 days) | 75 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity in Rodents) | |
| 2-isopropyl-9H-thioxanthen-9-one (5495-84-1) | | |
| NOAEL (oral, rat, 90 days) | 150 mg/kg bodyweight Animal: rat, Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)), Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: other: | |
| 29H,31H-phthalocyaninato(2-)-N29,N30,N31,N | 32 copper (147-14-8) | |
| NOAEL (oral, rat, 90 days) | 1000 mg/kg bodyweight Animal: rat, Guideline: other:Guideline for 28-Day Repeated Dose Toxicity Test in Mammalian Species (Chemical Substances Control Law of Japan) | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (75980-60-8) | | |
|--|---------------------------------------|--|
| NOAEL (subacute, oral, animal/male, 28 days) | 50 mg/kg bodyweight NOAEL (oral, rat) | |
| NOAEL (subacute, oral, animal/female, 28 days) | 50 mg/kg bodyweight NOAEL (oral, rat) | |
| 2-ethyl-2-[[(1-oxoallyl) oxy] methyl]-1,3-propanediyl diacrylate; 2,2-bis (acryloyloxymethyl)butyl acrylate; trimethylolpropane triacrylate (15625-89-5) | | |
| NOAEL (oral, rat, 90 days) | 300 mg/kg bodyweight/day | |
| NOAEL (dermal, rat/rabbit, 90 days) | > 500 mg/kg bodyweight Animal: rabbit | |
| Aspiration hazard : | Not classified | |
| UV INK LH-100 LIGHT CYAN | | |
| Viscosity, kinematic | 20,37 mm²/s | |
| Hexamethylene diacrylate (13048-33-4) | | |
| Viscosity, kinematic | 3,85 – 6,75 mm²/s | |

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Avoid release to the environment. Very toxic to aquatic life. Toxic to aquatic life with long

lasting effects.

Ecology - water : Very toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term

(acute)

: Very toxic to aquatic life.

Hazardous to the aquatic environment, long–term : Toxic to aquatic life with long lasting effects.

(chronic)

| (cironic) | | |
|--|---|--|
| UV INK LH-100 LIGHT CYAN | | |
| LC50 - Fish [1] | < 1 mg/l | |
| Hexamethylene diacrylate (13048-33-4) | | |
| LC50 - Fish [1] | 10 mg/l Test organisms (species): Leuciscus idus | |
| EC50 - Crustacea [1] | 2,6 mg/l Test organisms (species): Daphnia magna | |
| EC50 72h - Algae [1] | 1,5 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) | |
| EC50 72h - Algae [2] | 2,33 mg/l Test organisms (species): other: | |
| LOEC (chronic) | 0,24 mg/l Test organisms (species): Daphnia magna Duration: '21 d' | |
| NOEC (chronic) | 0,14 mg/l Test organisms (species): Daphnia magna Duration: '21 d' | |
| NOEC chronic fish | 72,3 μg/L (39 d) | |
| NOEC chronic crustacea | 140 μg/L (21 d) | |
| 4-hydroxy-2,2,6,6-tetramethylpiperidinoxyl (2226-96-2) | | |
| LC50 - Fish [1] | 545 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) | |
| EC50 - Crustacea [1] | 54 mg/l Test organisms (species): Daphnia magna | |
| EC50 - Crustacea [2] | 157 mg/l (24 h) | |
| EC50 72h - Algae [1] | 272 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) | |

Safety Data Sheet

| 4-hydroxy-2,2,6,6-tetramethylpiperidinoxyl (2226-96-2) | | |
|--|--|--|
| EC50 72h - Algae [2] | 1038 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) | |
| LOEC (chronic) | 4,5 mg/l Test organisms (species): Daphnia magna Duration: '21 d' | |
| NOEC (acute) | 26 mg/l 48 h | |
| NOEC (chronic) | 1,5 mg/l Test organisms (species): Daphnia magna Duration: '21 d' | |
| tetrahydrofurfuryl acrylate (2399-48-6) | | |
| LC50 - Fish [1] | 7,32 mg/l | |
| EC50 - Crustacea [1] | 37,7 mg/l | |
| EC50 72h - Algae [1] | 3,92 mg/l | |
| EC50 72h - Algae [2] | 2,71 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) | |
| 2-methyl-1-(4-methylthiophenyl)-2-morpholin | nopropan-1-one (71868-10-5) | |
| LC50 - Fish [1] | 9 mg/l Test organisms (species): other:Zebra fish | |
| LC50 - Fish [2] | 9 mg/l 48h | |
| EC50 - Other aquatic organisms [1] | 15,3 mg/l 24h | |
| EC50 72h - Algae [1] | 1,2 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) | |
| EC50 72h - Algae [2] | 1,2 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) | |
| LOEC (acute) | 2,8 – 7,8 mg/l | |
| NOEC (acute) | 1 – 2,8 mg/l 96h | |
| 2-isopropyl-9H-thioxanthen-9-one (5495-84- | 1) | |
| LC50 - Fish [1] | 0,125 mg/l Test organisms (species): | |
| EC50 - Crustacea [1] | Test organisms (species): Daphnia magna | |
| EC50 72h - Algae [1] | > 0,047 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) | |
| EC50 72h - Algae [2] | 0,014 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) | |
| 29H,31H-phthalocyaninato(2-)-N29,N30,N31,I | N32 copper (147-14-8) | |
| LC50 - Fish [1] | > 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) | |
| LC50 - Fish [2] | 355,6 mg/l Test organisms (species): other:Oncorhynchus mykiss (formerly named: Salmo gairdneri) | |
| EC50 - Crustacea [1] | > 500 mg/l Test organisms (species): other:Daphnia magna Straus | |
| EC50 - Crustacea [2] | > 500 mg/l Test organisms (species): Daphnia magna | |
| EC50 - Other aquatic organisms [1] | > 500 mg/l Test organisms (species): other: | |
| EC50 72h - Algae [1] | > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) | |
| LOEC (chronic) | > 1 mg/l Test organisms (species): Daphnia magna Duration: '21 d' | |
| NOEC (chronic) | ≥ 1 mg/l Test organisms (species): Daphnia magna Duration: '21 d' | |
| NOEC chronic crustacea | 1 mg/l | |

2-isopropyl-9H-thioxanthen-9-one (5495-84-1)

29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32 copper (147-14-8)

Persistence and degradability

Persistence and degradability

Safety Data Sheet

| according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 | | |
|--|---|--|
| diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (75980-60-8) | | |
| LC50 - Fish [1] | 1,4 mg/l Test organisms (species): Cyprinus carpio | |
| LC50 - Fish [2] | 6,53 mg/l (48h) | |
| EC50 - Crustacea [1] | 3,53 mg/l Test organisms (species): Daphnia magna | |
| EC50 72h - Algae [1] | > 2,01 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) | |
| EC50 96h - Algae [1] | 3,829 mg/l Source: Ecological Structure Activity Relationships | |
| 2-ethyl-2-[[(1-oxoallyl) oxy] methyl]-1,3-propanediyl diacrylate; 2,2-bis (acryloyloxymethyl)butyl acrylate; trimethylolpropane triacrylate (15625-89-5) | | |
| LC50 - Fish [1] | 870 μg/l | |
| LC50 - Other aquatic organisms [1] | 19,9 mg/l 48h | |
| EC50 72h - Algae [1] | 7,2 – 18,8 mg/l | |
| EC50 72h - Algae [2] | 7,2 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) | |
| EC50 96h - Algae [1] | 4,86 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) | |
| EC50 96h - Algae [2] | 4,86 mg/l | |
| 12.2. Persistence and degradability | | |
| UV INK LH-100 LIGHT CYAN | | |
| Persistence and degradability | Rapidly degradable | |
| Hexamethylene diacrylate (13048-33-4) | | |
| Persistence and degradability | Rapidly degradable | |
| Biodegradation | 100 % | |
| 4-hydroxy-2,2,6,6-tetramethylpiperidino | xyl (2226-96-2) | |
| Persistence and degradability | Rapidly degradable | |
| tetrahydrofurfuryl acrylate (2399-48-6) | | |
| Persistence and degradability | Rapidly degradable | |
| 2-[[3-[(1-oxoallyl)oxy]-2,2-bis[[(1-oxoallyl)oxy]methyl]propoxy]methyl]-2-[[(1-oxoallyl)oxy]methyl]-1,3-propanediyl diacrylate (29570-58-9) | | |
| Persistence and degradability | Rapidly degradable | |
| pentaerythritol triacrylate (3524-68-3) | | |
| Persistence and degradability | Rapidly degradable | |
| 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one (71868-10-5) | | |
| Persistence and degradability | Rapidly degradable | |

| 23-1-2025 (Revision date) | EN (English) | 14/23 |
|---------------------------|--------------|-------|

Rapidly degradable

Rapidly degradable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (75980-60-8) | | |
|--|--|--|
| Persistence and degradability Rapidly degradable | | |
| 2-ethyl-2-[[(1-oxoallyl) oxy] methyl]-1,3-propanediyl diacrylate; 2,2-bis (acryloyloxymethyl)butyl acrylate; trimethylolpropane triacrylate (15625-89-5) | | |
| Persistence and degradability Rapidly degradable | | |

| 12.3. Bioaccumulative potential | | |
|--|-------------------------------|--|
| Hexamethylene diacrylate (13048-33-4) | | |
| Partition coefficient n-octanol/water (Log Pow) | 2,81 @ 25 °C | |
| 4-hydroxy-2,2,6,6-tetramethylpiperidinoxyl (2 | 226-96-2) | |
| Partition coefficient n-octanol/water (Log Pow) | 0,56 @ 20 °C and pH 7 | |
| tetrahydrofurfuryl acrylate (2399-48-6) | | |
| Partition coefficient n-octanol/water (Log Pow) | 0,81 @ 21.7 °C | |
| 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one (71868-10-5) | | |
| Partition coefficient n-octanol/water (Log Pow) | 3,09 | |
| 2-isopropyl-9H-thioxanthen-9-one (5495-84-1) | | |
| Partition coefficient n-octanol/water (Log Kow) | ≈ 5,59 20°C | |
| 29H,31H-phthalocyaninato(2-)-N29,N30,N31,N | 32 copper (147-14-8) | |
| Partition coefficient n-octanol/water (Log Pow) -1 23 oC | | |
| diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (75980-60-8) | | |
| Partition coefficient n-octanol/water (Log Pow) | 3,1 – 3,87 @ 23 °C and pH 6.4 | |
| 2-ethyl-2-[[(1-oxoallyl) oxy] methyl]-1,3-propanediyl diacrylate; 2,2-bis (acryloyloxymethyl)butyl acrylate; trimethylolpropane triacrylate (15625-89-5) | | |

12.4. Mobility in soil

| | diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (75980-60-8) | |
|---|--|--|
| Mobility in soil 784,8 Source: Quantitative Structure Activity Relation | | 784,8 Source: Quantitative Structure Activity Relation |

4,35 @ 20°C

12.5. Results of PBT and vPvB assessment

Partition coefficient n-octanol/water (Log Pow)

| Component | |
|---|---|
| Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII | 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one (71868-10-5), diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (75980-60-8) |
| Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII | 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one (71868-10-5), diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (75980-60-8) |

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

23-1-2025 (Revision date) EN (English) 15/23

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation

Waste treatment methods

Product/Packaging disposal recommendations

European List of Waste (LoW, EC 2000/532) HP Code

- : Disposal must be done according to official regulations.
- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose of this material and its container at hazardous or special waste collection point. Avoid release to the environment.
- : 08 03 12* waste ink containing dangerous substances
- : HP5 "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.
 - HP6 "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.
- HP7 "Carcinogenic:" waste which induces cancer or increases its incidence
- HP8 "Corrosive:" waste which on application can cause skin corrosion.
- HP10 "Toxic for reproduction:" waste which has adverse effects on sexual function and fertility in adult males and females, as well as developmental toxicity in the offspring.
- HP13 "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs.
- HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMPO | IATA | ADN | RID |
|---|--|---|--|--|
| ADR | IMDG | IATA | ADN | עוא |
| 14.1. UN number or ID number | | | | |
| UN 3082 | UN 3082 | UN 3082 | UN 3082 | UN 3082 |
| 14.2. UN proper shippin | g name | | | |
| ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. | Environmentally hazardous substance, liquid, n.o.s. | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
| Transport document descr | iption | | | |
| UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylene diacrylate; tetrahydrofurfuryl acrylate; 2-ethyl-2-[[(1-oxoallyl) oxy] methyl]-1,3-propanediyl diacrylate; 2,2-bis (acryloyloxymethyl)butyl acrylate; trimethylolpropane triacrylate; 2-methyl-1-(4- methylthiophenyl)-2- morpholinopropan-1-one), 9, III, (-) | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylene diacrylate; tetrahydrofurfuryl acrylate; 2-methyl-1-(4- methylthiophenyl)-2- morpholinopropan-1-one; 2-ethyl-2-[[(1-oxoallyl) oxy] methyl]-1,3-propanediyl diacrylate; 2,2-bis (acryloyloxymethyl)butyl acrylate; trimethylolpropane triacrylate), 9, III, MARINE POLLUTANT | UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Hexamethylene diacrylate; tetrahydrofurfuryl acrylate; 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one; 2-ethyl-2-[[(1-oxoallyl) oxy]methyl]-1,3-propanediyl diacrylate; 2,2-bis (acryloyloxymethyl)butyl acrylate; trimethylolpropane triacrylate), 9, III | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylene diacrylate; tetrahydrofurfuryl acrylate; 2-methyl-1-(4- methylthiophenyl)-2- morpholinopropan-1-one; 2-ethyl-2-[[(1-oxoallyl) oxy] methyl]-1,3-propanediyl diacrylate; 2,2-bis (acryloyloxymethyl)butyl acrylate; trimethylolpropane triacrylate), 9, III | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylene diacrylate; tetrahydrofurfuryl acrylate; 2-methyl-1-(4- methylthiophenyl)-2- morpholinopropan-1-one; 2-ethyl-2-[[(1-oxoallyl) oxy] methyl]-1,3-propanediyl diacrylate; 2,2-bis (acryloyloxymethyl)butyl acrylate; trimethylolpropane triacrylate), 9, III |
| 14.3. Transport hazard class(es) | | | | |
| 9 | 9 | 9 | 9 | 9 |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ADR | IMDG | IATA | ADN | RID |
|--|--|--|--|--|
| ************************************** | ************************************** | ************************************** | ************************************** | ************************************** |
| 14.4. Packing group | | | | |
| III | III | III | III | 111 |
| 14.5. Environmental haz | ards | | | |
| Dangerous for the environment: Yes | Dangerous for the environment: Yes Marine pollutant: Yes EmS-No. (Fire): F-A EmS-No. (Spillage): S-F | Dangerous for the environment: Yes | Dangerous for the environment: Yes | Dangerous for the environment: Yes |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : -EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : LP01, P001 : PP1 Special packing provisions (IMDG) : IBC03 IBC packing instructions (IMDG) Tank instructions (IMDG) T4 : TP1. TP29 Tank special provisions (IMDG) Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PCA max net quantity (IATA) : 450L CAO packing instructions (IATA) : 964 CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

| EU restriction list (| EU restriction list (REACH Annex XVII) | | |
|-----------------------|--|---|--|
| Reference code | Applicable on | Entry title or description | |
| 3(b) | UV INK LH-100 LIGHT CYAN; Hexamethylene diacrylate; tetrahydrofurfuryl acrylate; 2-[[3-[(1-oxoallyl)oxy]-2,2-bis[[(1-oxoallyl)oxy]methyl]propo xy]methyl]-2-[[(1-oxoallyl)oxy]methyl]-1,3-propanediyl diacrylate; 2-ethyl-2-[[(1-oxoallyl)oxy] methyl]-1,3-propanediyl diacrylate; 2,2-bis (acryloyloxymethyl)butyl acrylate; trimethylolpropane triacrylate | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10 | |
| 3(c) | UV INK LH-100 LIGHT CYAN; Hexamethylene diacrylate; tetrahydrofurfuryl acrylate; 2-ethyl-2-[[(1-oxoallyl) oxy] methyl]-1,3- propanediyl diacrylate; 2,2-bis (acryloyloxymethyl)butyl acrylate; trimethylolpropane triacrylate | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1 | |

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains substance(s) listed on the REACH Candidate List in concentrations ≥ 0.1 % or SCL: 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one (EC 400-600-6, CAS 71868-10-5), diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (EC 278-355-8, CAS 75980-60-8)

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

VOC Directive (2004/42)

VOC content : < 25 %

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

A chemical safety assessment has been carried out

For the following substances of this mixture a chemical safety assessment has been carried out:

diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

SECTION 16: Other information

| Indication of changes | | | |
|---------------------------|---|---|--|
| Section | Changed item | Comments | |
| | Limited quantities (RID) | Added | |
| Special provisions (IATA) | | Modified | |
| | Tank special provisions (IMDG) | Modified | |
| | Skin corrosion/irritation - comment | Added | |
| | Revision date | Modified | |
| | Supersedes | Modified | |
| 2.1 | Adverse physicochemical, human health and environmental effects | Added | |
| 2.1 | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Modified | |
| 2.2 | Precautionary statements (CLP) | Modified | |
| 2.2 | EUH-statements | Added | |
| 2.2 | Hazard statements (CLP) | Modified | |
| 3 | Composition/information on ingredients | Modified | |
| 4.1 | First-aid measures general | Modified | |
| 4.1 | First-aid measures after skin contact | Modified | |
| 4.1 | First-aid measures after inhalation | Modified | |
| 4.1 | First-aid measures after ingestion | Modified | |
| 4.1 | First-aid measures after eye contact | Modified | |
| 4.2 | Symptoms/effects after skin contact | Modified | |
| 4.2 | Symptoms/effects after eye contact | Modified | |
| 4.3 | Other medical advice or treatment | Added | |
| 5.1 | Suitable extinguishing media | Modified | |
| 5.2 | Hazardous decomposition products in case of fire | us decomposition products in case of Modified | |
| 5.3 | Protection during firefighting | ing firefighting Modified | |
| 6.1 | Protective equipment | Modified | |
| 6.1 | Emergency procedures | Modified | |
| 6.1 | Emergency procedures | Modified | |

Safety Data Sheet

| Indication of changes | | | |
|-----------------------|------------------------------------|----------|--|
| Section | Changed item | Comments | |
| 6.2 | Environmental precautions | Modified | |
| 6.3 | Methods for cleaning up | Modified | |
| 6.3 | For containment Added | | |
| 6.3 | Other information | Added | |
| 7.1 | Precautions for safe handling | Modified | |
| 7.1 | Hygiene measures Modified | | |
| 7.2 | Storage conditions | Modified | |
| 8.2 | Personal protective equipment | Modified | |
| 8.2 | Appropriate engineering controls | Modified | |
| 8.2 | Skin and body protection | Modified | |
| 8.2 | Environmental exposure controls | Added | |
| 9.1 | Melting point | Added | |
| 10.2 | Chemical stability | Modified | |
| 10.3 | Possibility of hazardous reactions | Modified | |
| 10.4 | Conditions to avoid | Modified | |
| 10.6 | Hazardous decomposition products | Modified | |
| 12.1 | Ecology - general Modified | | |
| 13.1 | Waste disposal recommendations | Modified | |
| 13.1 | H code | Modified | |
| 13.1 | Waste treatment methods | Added | |
| 15.2 | Chemical safety assessment | Modified | |
| 16 | Abbreviations and acronyms | Modified | |

| Abbreviations and acronyms: | | |
|-----------------------------|---|--|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways | |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road | |
| ATE | Acute Toxicity Estimate | |
| BCF | Bioconcentration factor | |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 | |
| DMEL | Derived Minimal Effect level | |
| DNEL | Derived-No Effect Level | |
| EC50 | Median effective concentration | |
| IARC | International Agency for Research on Cancer | |
| IATA | International Air Transport Association | |
| IMDG | International Maritime Dangerous Goods | |
| LC50 | Median lethal concentration | |
| LD50 | Median lethal dose | |
| LOAEL | Lowest Observed Adverse Effect Level | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acronyms: | | |
|-----------------------------|---|--|
| NOAEC | No-Observed Adverse Effect Concentration | |
| NOAEL | No-Observed Adverse Effect Level | |
| NOEC | No-Observed Effect Concentration | |
| OECD | Organisation for Economic Co-operation and Development | |
| PBT | Persistent Bioaccumulative Toxic | |
| PNEC | Predicted No-Effect Concentration | |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 | |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail | |
| STP | Sewage treatment plant | |
| TLM | Median Tolerance Limit | |
| SDS | Safety Data Sheet | |
| vPvB | Very Persistent and Very Bioaccumulative | |
| BLV | Biological limit value | |
| BOD | Biochemical oxygen demand (BOD) | |
| COD | Chemical oxygen demand (COD) | |
| EC-No. | European Community number | |
| EN | European Standard | |
| OEL | Occupational Exposure Limit | |
| ThOD | Theoretical oxygen demand (ThOD) | |
| VOC | Volatile Organic Compounds | |
| CAS-No. | Chemical Abstract Service number | |
| N.O.S. | Not Otherwise Specified | |
| ED | Endocrine disruptor | |

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

: DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness.

| Full text of H- and EUH-statements: | | |
|-------------------------------------|---|--|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 | |
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 | |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 | |
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 | |
| Carc. 2 | Carcinogenicity, Category 2 | |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 | |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 | |
| Repr. 1B | Reproductive toxicity, Category 1B | |
| Repr. 2 | Reproductive toxicity, Category 2 | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Full text of H- and EUH-statements: | | |
|-------------------------------------|--|--|
| Skin Corr. 1C | Skin corrosion/irritation, Category 1, Sub-Category 1C | |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 | |
| Skin Sens. 1 | Skin sensitisation, Category 1 | |
| Skin Sens. 1B | Skin sensitisation, category 1B | |
| STOT RE 2 | Specific target organ toxicity – Repeated exposure, Category 2 | |
| H302 | Harmful if swallowed. | |
| H314 | Causes severe skin burns and eye damage. | |
| H315 | Causes skin irritation. | |
| H317 | May cause an allergic skin reaction. | |
| H318 | Causes serious eye damage. | |
| H319 | Causes serious eye irritation. | |
| H351 | Suspected of causing cancer. | |
| H360 | May damage fertility or the unborn child. | |
| H360Df | May damage the unborn child. Suspected of damaging fertility. | |
| H360FD | May damage fertility. May damage the unborn child. | |
| H361 | Suspected of damaging fertility or the unborn child. | |
| H373 | May cause damage to organs through prolonged or repeated exposure. | |
| H400 | Very toxic to aquatic life. | |
| H410 | Very toxic to aquatic life with long lasting effects. | |
| H411 | Toxic to aquatic life with long lasting effects. | |
| EUH071 | Corrosive to the respiratory tract. | |

| Full text of use descriptors | |
|------------------------------|--|
| PC18 | Ink and Toners |
| PROC1 | Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions |
| SU0 | Other |

| Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: | | |
|---|------|--------------------|
| Skin Corr. 1C | H314 | Calculation method |
| Eye Dam. 1 | H318 | Calculation method |
| Skin Sens. 1 | H317 | Calculation method |
| Carc. 2 | H351 | Calculation method |
| Repr. 1B | H360 | Calculation method |
| STOT RE 2 | H373 | Calculation method |
| Aquatic Acute 1 | H400 | Calculation method |
| Aquatic Chronic 2 | H411 | Calculation method |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.